The Torto[™]

FP7900



SPECIFICATION SHEET




celebrating 25 years

Product Specifications subject to change

TORTO™

FP7900** Ceiling Fan





	Α	В	
Fan w/6" downrod	16.50″	12.00"	
Fan w/12" downrod	22.50"	18.00″	
Fan w/18" downrod	28.50"	24.00"	
Fan w/24" downrod	34.50"	30.00"	
Fan w/36" downrod	46.50"	42.00"	
Fan w/48" downrod	58.50″	54.00"	
Fan w/60" downrod	70.50″	66.00"	
Fan w/72" downrod	82.50″	78.00″	

Available Finishes

Oil-rubbed bronze

Metro gray

INSTALLATION REQUIREMENTS:

Fan must be attached to a securely anchored electrical junction box capable of withstanding a load of at least 50 lbs.

ELECTRICAL REQUIREMENTS:

Requires a grounded electrical supply line of 120 volts AC, 60 Hz, 15 amp circuit.

MOTOR SPECS:

172 x 20 motor is designed for optimal performance with this fan.

BLADE SET:

Three composite blades are included.

Airflow / Energy Efficiency Info (120V)						
Fan Speed	Max RPM	CFM	CFM / Watts	Amps	Watts	
High	106	4400	76	0.49	58	
Med	88	2800	79	0.44	36	
Low	66	1700	93	0.34	18	

MG

OB

CONTROL OPTIONS:

C20 hand-held reversing remote control with canopy-style receiver unit (RECAN68) is included. Push button remote control has 3 fan speeds, infinite light levels, reverse and off button. Optional C21 wall control is available—sold separately. Instructions are provided with each control.

LIGHTING OPTIONS:

2-bulb built-in downlight fixture with two 60-watt candelabra bulbs is included. Maximum downlight wattage is not to exceed 120 watts.

DOWNROD OPTIONS:

Fan comes with a 1" dia. x 6" long downrod (DR1-6). Optional downrods available in 12", 18", 24", 36", 48", 60" and 72" lengths. Fan can be mounted on a sloped ceiling up to 30°. Most sloped ceiling installations require a downrod longer than the standard 6" downrod. Call technical support for more information.

LOCATION USE:

Fan is rated for dry and damp locations.



celebrating 25 years **383 Bennett Park**y

10983 Bennett Parkway
Zionsville, IN 46077
Toll Free (888) 567-2055
FAX (866) 482-5215
Outside U.S. call (317) 733-4113
Visit Our Website @ www.fanimation.com

