



ProLume.
◀ Rapid Start T8

FLUORESCENT

ProLume® Rapid Start T8



Energy Efficient

- Saves up-to 40% on energy costs compared to standard T12 lamps
- Tri-phosphor coating provides high lumen output and excellent color rendering, up-to 86 CRI

Technical Data

- Cathode guard ensures maximum lumen output throughout lamp life by reducing end-blackening
- Brass pins

Broad Assortment

- F17, F25, F28, FB28, F32 and FB32 available in 700 and 800 Series
- 3000, 3500, 4100, 5000 and 6500K

Long Life

- 30,000 Hours Average Rated Commercial Life
- 2-Year Guarantee

Applications

- Use 700 Series lamps in any application where color rendering is not crucial: office buildings, schools and manufacturing facilities
- Use 800 Series lamps for applications where color matching is critical: paint stores, hair salons, retail stores and print shops

The Eco-Shield® mark indicates this product is TCLP compliant.



Call Halco today and get a great look at our vast product line, personal service and fast delivery. Visit us at halcolighting.com.

Your account representative is your single source for pricing, orders and technical support.

Shipping from Atlanta, Cleveland, Houston and Phoenix.

ISO 9001 Certified



where there's light,
there's halco®

(800) 677-3334

halcolighting.com

Bulb Type	Watts	Base	Product #	Product Code	Description	Pkg/Qty	Color Temp	CRI	Initial Lumens	Mean Lumens	Avg Rated Life	Commercial Life**	Nom Length (in)
RAPID START													
T8	17	Bi-Pin	30101	F17T8/730/ECO/IC	730 Phosphor Eco-Shield®	25	3000	78	1350	1280	24000	30000	24"
T8	17	Bi-Pin	30102	F17T8/735/ECO/IC	735 Phosphor Eco-Shield®	25	3500	78	1350	1280	24000	30000	24"
T8	17	Bi-Pin	30103	F17T8/741/ECO/IC	741 Phosphor Eco-Shield®	25	4100	78	1350	1280	24000	30000	24"
T8	17	Bi-Pin	109326	F17T8/750/ECO	750 Phosphor Eco-Shield®	25	5000	78	1350	1280	24000	30000	24"
T8	17	Bi-Pin	30104	F17T8/750/ECO/IC	750 Phosphor Eco-Shield®	25	5000	78	1350	1280	24000	30000	24"
T8	17	Bi-Pin	30105	F17T8/830/ECO/IC	830 Phosphor Eco-Shield®	25	3000	86	1400	1330	24000	30000	24"
T8	17	Bi-Pin	109802	F17T8/835/ECO	835 Phosphor Eco-Shield®	25	3500	86	1400	1330	24000	30000	24"
T8	17	Bi-Pin	30112	F17T8/835/ECO/IC	835 Phosphor Eco-Shield®	25	3500	86	1400	1330	24000	30000	24"
T8	17	Bi-Pin	109804	F17T8/841/ECO	841 Phosphor Eco-Shield®	25	4100	86	1400	1330	24000	30000	24"
T8	17	Bi-Pin	30106	F17T8/841/ECO/IC	841 Phosphor Eco-Shield®	25	4100	86	1400	1330	24000	30000	24"
T8	17	Bi-Pin	30113	F17T8/850/ECO/IC	850 Phosphor Eco-Shield®	25	5000	86	1400	1330	24000	30000	24"
T8	25	Bi-Pin	30140	F25T8/730/ECO/IC	730 Phosphor Eco-Shield®	25	3000	78	2150	2050	24000	30000	36"
T8	25	Bi-Pin	109342	F25T8/735/ECO	735 Phosphor Eco-Shield®	25	3500	78	2150	2050	24000	30000	36"
T8	25	Bi-Pin	30107	F25T8/735/ECO/IC	735 Phosphor Eco-Shield®	25	3500	78	2150	2050	24000	30000	36"
T8	25	Bi-Pin	109344	F25T8/741/ECO	741 Phosphor Eco-Shield®	25	4100	78	2150	2050	24000	30000	36"
T8	25	Bi-Pin	30108	F25T8/741/ECO/IC	741 Phosphor Eco-Shield®	25	4100	78	2150	2050	24000	30000	36"
T8	25	Bi-Pin	109346	F25T8/750/ECO	750 Phosphor Eco-Shield®	25	5000	78	2150	2050	24000	30000	36"
T8	25	Bi-Pin	30141	F25T8/750/ECO/IC	750 Phosphor Eco-Shield®	25	5000	78	2150	2050	24000	30000	36"
T8	25	Bi-Pin	30109	F25T8/830/ECO/IC	830 Phosphor Eco-Shield®	25	3000	86	2250	2140	24000	30000	36"
T8	25	Bi-Pin	30110	F25T8/835/ECO/IC	835 Phosphor Eco-Shield®	25	3500	86	2250	2140	24000	30000	36"
T8	25	Bi-Pin	30111	F25T8/841/ECO/IC	841 Phosphor Eco-Shield®	25	4100	86	2250	2140	24000	30000	36"
☼ T8	25	Bi-Pin	35162^	F25T8ES/830/ECO	830 Phosphor Eco-Shield®	25	3000	86	2500	2380	24000	30000	48"
☼ T8	25	Bi-Pin	35163^	F25T8ES/835/ECO	835 Phosphor Eco-Shield®	25	3500	86	2500	2380	24000	30000	48"
☼ T8	25	Bi-Pin	35164^	F25T8ES/841/ECO	841 Phosphor Eco-Shield®	25	4100	86	2500	2380	24000	30000	48"
☼ T8	25	Bi-Pin	35165^	F25T8ES/850/ECO	850 Phosphor Eco-Shield®	25	5000	86	2500	2380	24000	30000	48"
T8	28	Bi-Pin	30158	F28T8/830/ECO/IC	830 Phosphor Eco-Shield®	25	3000	86	2800	2660	24000	30000	48"
T8	28	Bi-Pin	109364	F28T8/835/ECO/IC	835 Phosphor Eco-Shield®	25	3500	86	2800	2660	24000	30000	48"
T8	28	Bi-Pin	109366	F28T8/841/ECO	841 Phosphor Eco-Shield®	25	4100	85	2800	2660	24000	30000	48"
T8	28	Bi-Pin	30156	F28T8/841/ECO/IC	841 Phosphor Eco-Shield®	25	4100	86	2800	2660	24000	30000	48"
T8	28	Bi-Pin	109368	F28T8/850/ECO	850 Phosphor Eco-Shield®	25	4100	85	2800	2660	24000	30000	48"
T8	28	Bi-Pin	30157	F28T8/850/ECO/IC	850 Phosphor Eco-Shield®	25	5000	86	2800	2660	24000	30000	48"
T8	32	Bi-Pin	109412	F32T8/730/ECO	730 Phosphor Eco-Shield®	25	3000	78	2850	2700	24000	30000	48"
T8	32	Bi-Pin	30150	F32T8/730/ECO/IC	730 Phosphor Eco-Shield®	25	3000	78	2850	2700	24000	30000	48"
T8	32	Bi-Pin	30151	F32T8/735/ECO/IC	735 Phosphor Eco-Shield®	25	3500	78	2850	2700	24000	30000	48"
T8	32	Bi-Pin	30152	F32T8/741/ECO/IC	741 Phosphor Eco-Shield®	25	4100	78	2850	2700	24000	30000	48"
T8	32	Bi-Pin	30153	F32T8/750/ECO/IC	750 Phosphor Eco-Shield®	25	5000	78	2850	2700	24000	30000	48"
T8	32	Bi-Pin	109424	F32T8/765/ECO	765 Phosphor Eco-Shield®	25	6500	78	2850	2700	24000	30000	48"
T8	32	Bi-Pin	30154	F32T8/765/ECO/IC	765 Phosphor Eco-Shield®	25	6500	78	2850	2700	24000	30000	48"
T8	32	Bi-Pin	109398	F32T8/830/ECO	830 Phosphor Eco-Shield®	25	3000	85	3050	2900	24000	30000	48"
T8	32	Bi-Pin	35150	F32T8/830/ECO/IC	830 Phosphor Eco-Shield®	25	3000	86	3050	2900	24000	30000	48"
T8	32	Bi-Pin	109400	F32T8/835/ECO	835 Phosphor Eco-Shield®	25	3500	86	3050	2900	24000	30000	48"
T8	32	Bi-Pin	35151	F32T8/835/ECO/IC	835 Phosphor Eco-Shield®	25	3500	86	3050	2900	24000	30000	48"
T8	32	Bi-Pin	35152	F32T8/841/ECO/IC	841 Phosphor Eco-Shield®	25	4100	86	3050	2900	24000	30000	48"
T8	32	Bi-Pin	109404	F32T8/850/ECO	850 Phosphor Eco-Shield®	25	5000	86	3050	2900	24000	30000	48"
T8	32	Bi-Pin	35153	F32T8/850/ECO/IC	850 Phosphor Eco-Shield®	25	5000	86	3050	2900	24000	30000	48"
T8	32	Bi-Pin	109428	F32T8/865/ECO	865 Phosphor Eco-Shield®	25	6500	86	3050	2900	24000	30000	48"
T8	32	Bi-Pin	35154	F32T8/865/ECO/IC	865 Phosphor Eco-Shield®	25	6500	86	3050	2900	24000	30000	48"
T8	32	Bi-Pin	109360	F32T8/ULTRA950	950 Phosphor Ultra950®	25	5000	98	2000	1900	24000	30000	48"
T8	40	Bi-Pin	30160	F40T8/735/ECO	735 Phosphor Eco-Shield®	30	3500	76	3600	3420	24000	30000	60"
T8	40	Bi-Pin	30161	F40T8/741/ECO	741 Phosphor Eco-Shield®	30	4100	76	3600	3420	24000	30000	60"
T8	58	Bi-Pin	109374	F58T8/840	840 Phosphor	25	4000	86	5300	5000	24000	30000	60"

F32 HIGH LUMEN													
T8	32	Bi-Pin	35155	F32T8/830/ECO/HL	830 Phosphor Eco-Shield®	25	3000	86	3150	2995	24000	30000	48"
T8	32	Bi-Pin	35156	F32T8/835/ECO/HL	835 Phosphor Eco-Shield®	25	3500	86	3150	2995	24000	30000	48"
T8	32	Bi-Pin	35157	F32T8/841/ECO/HL	841 Phosphor Eco-Shield®	25	4100	86	3150	2995	24000	30000	48"
T8	32	Bi-Pin	35158	F32T8/850/ECO/HL	850 Phosphor Eco-Shield®	25	5000	86	3150	2995	24000	30000	48"
F32 EXTENDED LIFE*													
T8	32	Bi-Pin	35159	F32T8/835/ECO/XL	835 Phosphor Eco-Shield®	25	3500	86	2950	2800	40000	46000	48"
T8	32	Bi-Pin	35160	F32T8/841/ECO/XL	841 Phosphor Eco-Shield®	25	4100	86	2950	2800	40000	46000	48"
T8	32	Bi-Pin	35161	F32T8/850/ECO/XL	850 Phosphor Eco-Shield®	25	5000	86	2950	2800	40000	46000	48"
Bulb Type	Watts	Base	Product #	Product Code	Description	Pkg/Qty	Color Temp	CRI	Initial Lumens	Mean Lumens	Avg Rated Life	Commercial Life**	Nom Length (in)
UBEND - RAPID START													
T8	28	Bi-Pin	35309	FB28/830/6/ECO/IC	830 Phosphor Eco-Shield®	20	3000	86	2650	2450	24000	30000	22.6"
T8	28	Bi-Pin	35307	FB28/835/6/ECO/IC	835 Phosphor Eco-Shield®	20	3500	86	2650	2450	24000	30000	22.6"
T8	28	Bi-Pin	35311	FB28/841/6/ECO/IC	841 Phosphor Eco-Shield®	20	4100	86	2650	2450	24000	30000	22.6"
T8	32	Bi-Pin	30351	FB32/730/6/ECO/IC	730 Phosphor Eco-Shield®	20	3000	78	2750	2400	24000	30000	22.6"
T8	32	Bi-Pin	30352	FB32/735/6/ECO/IC	735 Phosphor Eco-Shield®	20	3500	78	2750	2400	24000	30000	22.6"
T8	32	Bi-Pin	109504	FB32/741/6/ECO	741 Phosphor Eco-Shield®	20	4100	78	2750	2400	24000	30000	22.6"
T8	32	Bi-Pin	30353	FB32/741/6/ECO/IC	741 Phosphor Eco-Shield®	20	4100	78	2750	2400	24000	30000	22.6"
T8	32	Bi-Pin	109506	FB32/750/6/ECO	750 Phosphor Eco-Shield®	20	5000	78	2750	2400	24000	30000	22.6"
T8	32	Bi-Pin	30354	FB32/750/6/ECO/IC	750 Phosphor Eco-Shield®	20	5000	78	2750	2400	24000	30000	22.6"
T8	32	Bi-Pin	35313	FB32/830/6/ECO/IC	830 Phosphor Eco-Shield®	20	3000	86	2900	2750	24000	30000	22.6"
T8	32	Bi-Pin	109814	FB32/835/6/ECO/IC	835 Phosphor Eco-Shield®	20	3500	86	2900	2750	24000	30000	22.6"
T8	32	Bi-Pin	35302	FB32/835/6/ECO/IC	835 Phosphor Eco-Shield®	20	3500	86	2900	2750	24000	30000	22.6"
T8	32	Bi-Pin	35303	FB32/841/6/ECO/IC	841 Phosphor Eco-Shield®	20	4100	86	2900	2750	24000	30000	22.6"
T8	32	Bi-Pin	109818	FB32/850/6/ECO	850 Phosphor Eco-Shield®	20	5000	86	2900	2750	24000	30000	22.6"
T8	32	Bi-Pin	35305	FB32/850/6/ECO/IC	850 Phosphor Eco-Shield®	20	5000	86	2900	2750	24000	30000	22.6"

NEW ITEM!

* XL lamps do not have a cathode guard.

** Based on commercial standards of 12 hours per start.

^ This lamp should only be operated on high efficiency or anti-striation type ballasts.

Hg LAMP CONTAINS MERCURY, MANAGE IN ACCORD WITH DISPOSAL LAWS.

Visit www.lamprecycle.org for disposal information for your state or local government.

