Dimmable CFL & LED bulbs Approved for use with C·L_® dimmers

List updated July 2, 2012 For the most up-to-date list, visit www.lutron.com/dimcflled



CFL bulbs* for Maestro_® C·L dimmers

Maestro C•L: MACL-153M



Brand	Wattage	Model	Description	
	5W	8TC05 [†]	Candle, Soft White (ES5CCDF052, ES9CCDF052)	
	11W	BPESL11R20/DM/ESM	R20, Soft White	
EcoSmart	14W	40114	Spiral, Soft White (ES5M814DIM2, ES9M814DIM2)	
	15W	2R3015DIM	R30 Flood, Soft White (ES5R315DIM2)	
	15W	2R3015DIM50K	R30 Flood, Daylight (ES5R315DIM250K)	
	15W	2R3015DIM35K	R30 Flood, Bright White (ES5R315DIM35K)	
	23W 40123		Spiral, Soft White (ES5M823DIM2)	
	11W	BPESL11R20/DM	R20	
F . 14	15W	BPESL15T/DM	Spiral	
Feit	23W	BPESL23R40/DIM	R40	
	23W	BPESL23T/DM	Spiral	
GE	26W	FLE26HT3/2/DV/SW	Spiral	
GE	26W	FLE26/2/DVR/40	R40	
Philips	20W	EL/A R40 Dim 20W	R40	
	5W	CF5EL/DEC/DIM [†]	Candle	
	5W	CF5EL/B10C/DIM/827/ADP [†]	Candle	
SYLVANIA	14W	CF14EL/TWIST/DIM	Spiral	
	24W	CF24EL/TWIST/DIM	Spiral	

Note: We are continuously testing bulbs for compatibility with C*L dimmers and updating this list regularly. Some bulbs compatible with Diva® C*L, Skylark Contour® C•L, Toggler®/Ariadni® C•L, and Lumea® C•L models might not appear on the Maestro C•L section of this list and vice versa. Please continue to check the list as more bulbs are tested.

* CFLs typically require a warmup period before their full dimming range is achieved.

⁺ Requires a minimum of two bulbs for proper operation; this can be a mixed load of different bulbs (Ex: CFL and incandescent)





Dimmable CFL & LED bulbs Approved for use with C·L₀ dimmers

List updated July 2, 2012 For the most up-to-date list, visit www.lutron.com/dimcflled

CFL bulbs* fo	r Maestro®	C•L	dimmers
---------------	------------	-----	---------

Maestro C•L: MACL-153M



Brand	Wattage	Model	Description	
	5W	8TC05F [†]	Candle	
	14W	40114	Spiral	
	14W	4R2014TD	R20, TruDim _™ , 2700K	
	14W	4R2014TD30K	R20, TruDim, 3000K	
	14W	4R2014TD35K	R20, TruDim, 3500K	
	14W	4R2014TD41K	R20, TruDim, 4100K	
	14W	4R2014TD50K	R20, TruDim, 5000K	
ТСР	14W	4R2014TD65K	R20, TruDim, 6500K	
	16W	4R3016TD	R30, TruDim, 2700K	
	16W	4R3016TD30K	R30, TruDim, 3000K	
	16W	4R3016TD35K	R30, TruDim, 3500K	
	16W	4R3016TD41K	R30, TruDim, 4100K	
	16W	4R3016TD50K	R30, TruDim, 5000K	
	16W	4R3016TD65K	R30, TruDim, 6500K	
	23W	40123	Spiral	
	11W	LBP11R20M	R20	
Utilitech	15W	LBP15TDM	Spiral	
Ounteen	23W	LBP23R40DM	R40	
	23W	LBP23TDM	Spiral	

Note: We are continuously testing bulbs for compatibility with C*L dimmers and updating this list regularly. Some bulbs compatible with Diva® C*L, Skylark Contour® C*L, Toggler®/Ariadni® C*L, and Lumea® C*L models might not appear on the Maestro C*L section of this list and vice versa. Please continue to check the list as more bulbs are tested.

* CFLs typically require a warmup period before their full dimming range is achieved.

⁺ Requires a minimum of two bulbs for proper operation; this can be a mixed load of different bulbs (Ex: CFL and incandescent)





Dimmable CFL & LED bulbs

List updated July 2, 2012 For the most up-to-date list, visit www.lutron.com/dimcflled

Approved for use with C·L_® dimmers

LED bulbs for Maestro_® C·L dimmers





Brand	Wattage	Model	Description
Commercial Electric			6" Downlight, White
	9.5W CR4		4" Downlight, 2700K, Edison Base
Cree	9.5W	CR6	6" Downlight, 2700K, Edison Base
	9.5W	CR6-GU24	6" Downlight, 2700K, GU24 Base
	8W	ECS A19 V1 CW 120	A19, Daylight White, 4900K
	8W	ECS A19 V1 WW 120	A19, Warm White, 3000K
	8W	ECS 19 WW 120	A19, Warm White, 3000K
	8W	ECS 25 WW 120	G25, Warm White, 3000K
	8W	ECS 20 WW FL 120	PAR20, Warm White, 3000K
	9.5W	ECO4-575L	4" Downlight
	9.5W	ECO-575L	6" Downlight
	13W	ECS A19 V2 CW 120	A19, Daylight White, 4900K
EcoSmart	13W	ECS A19 V2 WW 120	A19, Warm White, 3000K
	15W	ECS BR30 W27 FL 120	BR30, Soft White, 2700K
	15W	ECS 30 WW FL 120	PAR30, Warm White, 3000K
	15W	ECS 30 CW FL 120	PAR30, Daylight White, 4900K
	16W	ECS BR40 W27 FL 120	BR40, Soft White, 2700K
	17W	ECS 30 V2 WW FL 120	PAR30, Warm White, 3000K
	18W	ECS 38 WW FL 120	PAR38, Warm White, 3000K
	18W	ECS 38 CW FL 120	PAR38, Daylight White, 4900K
	24W	ECS 38 V2 WW FL 120	PAR38, Warm White, 3000K

Note: We are continuously testing bulbs for compatibility with C*L dimmers and updating this list regularly. Some bulbs compatible with Diva® C*L, Skylark Contour® C*L, Toggler®/Ariadni® C*L, and Lumea® C*L models might not appear on the Maestro C*L section of this list and vice versa. Please continue to check the list as more bulbs are tested.





Dimmable CFL & LED bulbs

List updated July 2, 2012 For the most up-to-date list, visit www.lutron.com/dimcflled

Approved for use with C·L_® dimmers



LED bulbs for Maestro_® C·L dimmers

Maestro C•L: MACL-153M



Brand	Wattage	Model	Description	
	7.5W	A19DM/LED	A19, 3000K	
	7.5W	A19DM/5K/LED	A19, 5000K	
	7.5W	PAR20DM/LED	PAR20, 3000K	
Feit	7.5W	PAR20DM/5K/LED	PAR20, 5000K	
reit	10W	G25/DM/LED	G25, 3000K	
	13W	A19DM/800/LED	A19, 3000K	
	13.5W	A19/OM800/LED	A19, 3000K, Omni Directional	
	18W	18PAR38/DM/LED	PAR38, 3000K	
	10W	LED10DP30S830/20	PAR30, 3000K, Short Neck, Silver Base	
	10W	LED10DP30S827/20	PAR30, 2700K, Short Neck, Silver Base	
GE	10W	LED10DP30W827/20	PAR30, 2700K, Short Neck, White Base	
	10W	LED10DP3LS830/20	PAR30, 3000K, Long Neck, Silver Base	
	10W	LED10DP3LS827/20	PAR30, 2700K, Long Neck, Silver Base	
	7W	S8827 thru S8838	PAR30	
	13W	S8959 thru S8963	PAR30	
KolourOne, by SATCO	14W	S8814 thru S8819	PAR30	
S, SA100	17W	S8852 thru S8859	PAR38	
	17W	S8964 thru S8967	PAR38	

Note: We are continuously testing bulbs for compatibility with C+L dimmers and updating this list regularly. Some bulbs compatible with Diva® C+L, Skylark Contour® C•L, Togglere/Ariadnie C•L, and Lumeae C•L models might not appear on the Maestro C•L section of this list and vice versa. Please continue to check the list as more bulbs are tested.





Dimmable CFL & LED bulbs Approved for use with C·L₀ dimmers

List updated July 2, 2012 For the most up-to-date list, visit www.lutron.com/dimcflled

Į.

LED bulbs for Maestro_® C·L dimmers

Maestro C•L: MACL-153M



Brand	Wattage	Model	Description	
	8W	DFN 19 CW 120	A19, Cool White, 5000K	
	8W	DFN 19 NW 120	A19, Neutral White, 4000K	
	8W	DFN 19 W27 120	A19, Warm White, 2700K	
	8W	DFN 19 WW 120	A19, Warm White, 3000K	
	8W	DFN A19 V1 CW 120	A19, Cool White, 5000K	
	8W	DFN A19 V1 NW 120	A19, Neutral White, Neutral White, 4000K	
	8W	DFN A19 V1 W27 120	A19, Warm White, 2700K	
	8W	DFN A19 V1 WW 120	A19, Warm White, 3000K	
	8W	DFN 20 CW FL 120	PAR20, Cool White, 5000K	
	8W	DFN 20 CW NFL 120	PAR20, Cool White, 5000K	
	8W	DFN 20 NW FL 120	PAR20, Neutral White, 4000K	
	8W	DFN 20 NW NFL 120	PAR20, Neutral White, 4000K	
	8W	DFN 20 W27 FL 120	PAR20, Warm White, 2700K	
	8W	DFN 20 W27 NFL 120	PAR20, Warm White, 2700K	
	8W	DFN 20 WW FL 120	PAR20, Warm White, 3000K	
	8W	DFN 20 WW NFL 120	PAR20, Warm White, 3000K	
ighting Science	8W	DFN 25 CW 120	G25, Cool White, 5000K	
	8W	DFN 25 NW 120	G25, Neutral White, 4000K	
	8W	DFN 25 W27 120	G25, Warm White, 2700K	
	8W	DFN 25 WW 120	G25, Warm White, 3000K	
	13.5W	DFN A19 V2 CW 120	A19, Cool White, 5000K	
	13.5W	DFN A19 V2 NW 120	A19, Neutral White, Neutral White, 4000K	
	13.5W	DFN A19 V2 W27 120	A19, Warm White, 2700K	
	13.5W	DFN A19 V2 WW 120	A19, Warm White, 3000K	
	14.5W	GLP6 W27 WH	6" Downlight, White, 2700K	
	14.5W	GLP6 WW WH	6" Downlight, White, 3000K	
	14.5W	GLP6 NW WH	6" Downlight, White, 4000K	
	15W	DFN BR30 W27 FL 120	BR30, Warm White, 2700K	
	15W	DFN BR30 WW FL 120	BR30, Warm White, 3000K	
	15W	DFN BR30 NW FL 120	BR30, Neutral White, 4000K	
	15W	DFN BR30 CW FL 120	BR30, Cool White, 5000K	
	15W	DFN 30 W27 FL 120	PAR30, Warm White, 2700K	
	15W	DFN 30 WW FL 120	PAR30, Warm White, 3000K	

Note: We are continuously testing bulbs for compatibility with C*L dimmers and updating this list regularly. Some bulbs compatible with Diva® C*L, Skylark Contour® C*L, Toggler®/Ariadni® C*L, and Lumea® C*L models might not appear on the Maestro C*L section of this list and vice versa. Please continue to check the list as more bulbs are tested.





Dimmable CFL & LED bulbs Approved for use with C·L_® dimmers

LED bulbs for Maestro_® C·L dimmers

List updated July 2, 2012 For the most up-to-date list, visit www.lutron.com/dimcflled

Į.

Maestro C•L: MACL-153M

Brand	Wattage	Model	Description	
	15W	DFN 30 NW FL 120	PAR30, Neutral White, 4000K	
	15W	DFN 30 CW FL 120	PAR30, Cool White, 5000K	
	15W	DFN 30 W27 NFL 120	PAR30, Warm White, 2700K	
	15W	DFN 30 WW NFL 120	PAR30, Warm White, 3000K	
	15W	DFN 30 NW NFL 120	PAR30, Neutral White, 4000K	
	15W	DFN 30 CW NFL 120	PAR30, Cool White, 5000K	
	16W	DFN BR40 W27 120	BR40, Warm White, 2700K	
	16W	DFN BR40 WW 120	BR40, Warm White, 3000K	
	16W	DFN BR40 NW 120	BR40, Neutral White, 4000K	
	16W	DFN BR40 CW 120	BR40, Cool White, 5000K	
	17W	DFN 30 W27 V2 FL 120	PAR30, Warm White, 2700K	
	17W	DFN 30 WW V2 FL 120	PAR30, Warm White, 3000K	
	17W	DFN 30 NW V2 FL 120	PAR30, Neutral White, 4000K	
	17W	DFN 30 CW V2 FL 120	PAR30, Cool White, 5000K	
	17W	DFN 30 W27 V2 NFL 120	PAR30, Warm White, 2700K	
	17W	DFN 30 WW V2 NFL 120	PAR30, Warm White, 3000K	
inhting Colones	17W	DFN 30 NW V2 NFL 120	PAR30, Neutral White, 4000K	
ighting Science	17W	DFN 30 CW V2 NFL 120	PAR30, Cool White, 5000K	
	18W	DFN 38 W27 FL 120	PAR38, Warm White, 2700K	
	18W	DFN 38 WW FL 120	PAR38, Warm White, 3000K	
	18W	DFN 38 NW FL 120	PAR38, Neutral White, 4000K	
	18W	DFN 38 CW FL 120	PAR38, Cool White, 5000K	
	18W	DFN 38 W27 NFL 120	PAR38, Warm White, 2700K	
	18W	DFN 38 WW NFL 120	PAR38, Warm White, 3000K	
	18W	DFN 38 NW NFL 120	PAR38, Neutral White, 4000K	
	18W	DFN 38 CW NFL 120	PAR38, Cool White, 5000K	
	24W	DFN 38 W27 V2 FL 120	PAR38, Warm White, 2700K	
	24W	DFN 38 WW V2 FL 120	PAR38, Warm White, 3000K	
	24W	DFN 38 NW V2 FL 120	PAR38, Neutral White, 4000K	
	24W	DFN 38 CW V2 FL 120	PAR38, Cool White, 5000K	
	24W	DFN 38 W27 V2 NFL 120	PAR38, Warm White, 2700K	
	24W	DFN 38 WW V2 NFL 120	PAR38, Warm White, 3000K	
	24W	DFN 38 NW V2 NFL 120	PAR38, Neutral White, 4000K	
	24W	DFN 38 CW V2 NFL 120	PAR38, Cool White, 5000K	

Note: We are continuously testing bulbs for compatibility with C+L dimmers and updating this list regularly. Some bulbs compatible with Diva® C+L, Skylark Contour® C+L, Toggler®/Ariadni® C+L, and Lumea® C+L models might not appear on the Maestro C+L section of this list and vice versa. Please continue to check the list as more bulbs are tested.





Dimmable CFL & LED bulbs Approved for use with C·L_® dimmers

List updated July 2, 2012 For the most up-to-date list, visit www.lutron.com/dimcflled



LED bulbs for Maestro® C·L dimmers

Maestro C•L: MACL-153M



Brand	Wattage	Model	Description
	7W	7E26PAR20-E	EnduraLED PAR20 2700K, 3000K, 4000K
	7W	7E26PAR20-E	Ambient PAR20 2700K
	12W	12E26A60	EnduraLED A19 2700K
	12W	12E26A60	AmbientLED A19 2700K
12W		12E26PAR30L-E2	AmbientLED PAR30 3000K
Philips	13W	13E26B30DAAABAB	AmbientLED BR30 3000K
	17W	17E26A21D	EnduraLED A19 2700K
	17W	17E26A21D	AmbientLED A19 2700K
	17W	17E26PAR38-E2	AmbientLED PAR38 3000K
	18W	18E26PAR38D-2	EnduraLED PAR38 2700K
	18W	18E26PAR38D-2	AmbientLED PAR38 3000K
	8W	LED8A/DIM/F/830	A19, 3000K
	8W	LED8A/DIM/F/827	A19, 2700K
	8W	LED8PAR20/DIM/830/NFL25	PAR 20, 3000K, NFL
	8W	LED8PAR20/DIM/830/FL36	PAR 20, 3000K, FL
	8W	LED8PAR20/DIM/827/NFL25	PAR 20, 2700K, NFL
	8W	LED8PAR20/DIM/827/FL36	PAR 20, 2700K, FL
	8W	LED8G25/DIM/F/830	G25, 3000K
	8W	LED8G25/DIM/F/827	G25, 2700K
SYLVANIA	10W	LED10PAR30/DIM/SG/830/SP10	PAR 30, 3000K, SP
	10W	LED10PAR30/DIM/SG/830/WSP15	PAR 30, 3000K, WSP
	10W	LED10PAR30/DIM/SG/830/NFL25	PAR 30, 3000K, NFL
	10W	LED10PAR30/DIM/SG/827/SP10	PAR 30, 2700K, SP
	10W	LED10PAR30/DIM/SG/827/WSP15	PAR 30, 2700K, WSP
	10W	LED10PAR30/DIM/SG/827/NFL25	PAR 30, 2700K, NFL
	15W	LED15BR30/DIM/827	BR30 2700K
	15W	LED15PAR30LN/DIM/827/FL40	PAR30 2700K, FL
	15W	LED15PAR30LN/DIM/830/NFL25	PAR30 3000K, NFL


Note: We are continuously testing bulbs for compatibility with C[•]L dimmers and updating this list regularly. Some bulbs compatible with Diva® C[•]L, Skylark Contour® C[•]L, Toggler®/Ariadni® C[•]L, and Lumea® C[•]L models might not appear on the Maestro C[•]L section of this list and vice versa. Please continue to check the list as more bulbs are tested.





Dimmable CFL & LED bulbs Approved for use with $C \cdot L_{\circ}$ dimmers

LED	bulbs	for	Maestro®	C•L	dimmers
Magatra		1501			





Brand	Wattage	Model	Description
	7.5W	LA19DM/LED	A19, 3000K
	7.5W	LA19DM/5K/LED	A19, 5000K
	7.5W	LPAR20DM/LED	PAR20, 3000K
	7.5W	LPAR20DM/5K/LED	PAR20, 5000K
Utilitech	10W	LG25/DM/LED	G25, 3000K
	13W	LA19DM/800/LED	A19, 3000K
	13.5W	A19/OM800/LED	A19, 3000K
	18W	LPAR38DM/LED	PAR38, 3000K
	18W	LPAR38DM/5K/LED	PAR38, 5000K

Note: We are continuously testing bulbs for compatibility with C+L dimmers and updating this list regularly. Some bulbs compatible with Diva® C+L, Skylark Contour® C+L, Toggler®/Ariadni® C+L, and Lumea® C+L models might not appear on the Maestro C+L section of this list and vice versa. Please continue to check the list as more bulbs are tested.



