



PL-T ALTO 57W/ 835/4P A 1CT

Product family description
PL-T Triple 4pin Fluorescent Lamp with Amalgam.

Features/Benefits

- ALTO® Lamp Technology - Passes EPA's TCLP test for non-hazardous waste.
- Utilizes amalgam technology to provide > 90% of rated lumens in ambient temperatures from 23F to 130F.
- Triple tube design available in 18, 26, 32, and 42W.
- Excellent Color Rendering - 82 Color Rendering Index (CRI).
- Broad Range of Color Temperature - Available in 2700, 3000, 3500 and 4100K.
- Dimmable - PL-T 4-pin lamps may be used with electronic dimming ballasts.
- Long Life - 12,000 hours.
- Energy Saving - Designed for use with electronic ballasts for lower operating costs and flicker-free starting.

Applications

- Ideal for downlights and medium bay multi-lamp fixtures for general lighting.

Notes



- Rated average life under specified test conditions with lamps turned off and restarted no more frequently than once every 3 operating hours. Lamp life is appreciably longer if lamps are started less frequently. (202)
- Approximate Initial Lumens. The lamp lumen output is based upon lamp performance after 100 hours of operating life, when the output is measured during operation on a reference ballast under standard laboratory conditions. (203)
- Design Lumens are the approximate lamp lumen output at 40% of the lamp's Rated Average Life. This output is based upon measurements obtained during lamp operation on a reference ballast under standard laboratory conditions. (208)

Product data	
Product Number	146324
Full product name	PL-T ALTO 57W/835/4P A 1CT
Ordering Code	146324
Pack type	1 Lamp in a Folding Carton
Pieces per Sku	1
Skus/Case	50
Pack UPC	046677146320
EAN2US	


Product data	
Case Bar Code	50046677146325
Successor Product number	
Base	GX24q-5
Base Information	4P
Execution	/4P [4 Pins]
Packing Type	1CT [1 Lamp in a Folding Carton]
Packing Configuration	5X10CC
Rated Avg. Life	0 hr
Ordering Code	PL-T 57W/835/4P/A
Pack UPC	046677146320
Case Bar Code	50046677146325
Watts	57W
Color Code	835 [CCT of 3500K]
Color Rendering Index	82 Ra8
Color Designation	White
Color Description	835 White
Color Temperature	3500 K
Initial Lumens	- Lm
Initial Lumens	3900 Lm
Overall Length C	197.7 mm
Diameter D	41 mm
Product Number	146324




PL-T 57W



Base GX24q-5



PL-T/835



PL-T/835

