



F30T12 CW RS ALTO

Product family description
Environmentally responsible and long life.

Features/Benefits

- Long life.
- Reduce maintenance and recycling costs.
- Up to 20% more life on average than a Philips standard 4'T12 34W lamp.
- Better for the environment.
- Only 4.4mg of mercury with ALTO® Lamp Technology.
- Warranty period: 36 months.

Notes


- Rated average life under specified test conditions with lamps turned off and restarted no more frequently than once every 3 operating hours. Lamp life is appreciably longer if lamps are started less frequently. (202)
- Approximate Initial Lumens. The lamp lumen output is based upon lamp performance after 100 hours of operating life, when the output is measured during operation on a reference ballast under standard laboratory conditions. (203)
- For expected lamp lumen output, commercial ballast manufacturers can advise the appropriate Ballast Factor for each of their ballasts when they are informed of the designated lamp. The Ballast Factor is a multiplier applied to the designated lamp lumen output. (204)
- Design Lumens are the approximate lamp lumen output at 40% of the lamp's Rated Average Life. This output is based upon measurements obtained during lamp operation on a reference ballast under standard laboratory conditions. (208)

Product data	
Product Number	272427
Full product name	F30T12 CW RS ALTO
Ordering Code	F30T12/CW/RS/ALTO
Pack type	1 Lamp
Pieces per Sku	1
Skus/Case	30
Pack UPC	046677272425
EAN2US	
Case Bar Code	50046677272420


Product data	
Successor Product number	
System Description	Rapid Start
Base	Medium Bi- Pin [Medium Bi- Pin Fluorescent]
Base Information	Green Base
Bulb	T12
Packing Type	1LP [1 Lamp]
Packing Configuration	30
Life with 3h/day use [years]	7an
Type	F30T12
Feature	ALTO®
Rated Avg. Life [3 hr Start]	18000 hr
Ordering Code	F30T12/CW/RS/ALTO
Pack UPC	046677272425
Case Bar Code	50046677272420
Energy Saving	Not Applicable
Watts	30W
Mercury (Hg) Content	3.5 mg
Color Code	33
Color Rendering Index	62 Ra8
Color Designation	Cool White
Color Description	Cool White Plus
Color Temperature	4100 K
Initial Lumens	2250 Lm
Design Mean Lumens	1900 Lm
Nominal Length [inch]	36
Product Number	272427



F- T12- RS Med Bipin/GB



Base Medium Bi- Pin



F- T12- RS Med Bipin

