

MasterColor® CDM ED17 Standard


MasterColor CDM 50W/940
Med ED17 CO ALTO

Range of high-efficiency long life ceramic metal halide lamps
with a stable color over life time and a crisp, sparkling light.

[See full MasterColor® CDM ED17 Standard range](#)



[Add to ProjectPlanner](#)

 [Print this page](#)

 [Contact us](#)

 [SHARE](#)   

[Specifications](#)

[Range](#)


Product Data

Product number	360248
Full product name	MasterColor CDM 50W/940 Med ED17 CO ALTO

[+ More info / Hide info](#)

General Characteristics

Base	Medium [Single Contact Medium Screw]
Base Information	Brass [Brass Base]
Bulb	ED17
Bulb Material	Hard Glass
Bulb Finish	Coated
Operating Position	Universal [Any or Universal (U)]
Main Application	General Lighting
RatedAvgLife(See Family Notes)	20000 hr



[+ Zoom](#)

Electrical Characteristics

Watts	50 W
Lamp Voltage	100 V
Lamp Current	0.59 A
Ignition Time	10 s
Re-ignition Time [min]	8 min

Environmental Characteristics

Mercury (Hg) Content	5.8 mg
----------------------	--------







Light Technical Characteristics

Color Code	940 [CCT of 4000K]
Color Rendering Index	87 (min), 92 (nom) Ra8
Color Designation	Deluxe Cool White
Color Temperature	4000 K
Color Temperature technical	3800 (min), 4000 (nom), 4200 (max) K
Chromaticity Coordinate X	372 (min), 381 (nom), 390 (max) -
Chromaticity Coordinate Y	369 (min), 375 (nom), 381 (max) -
Initial Lumens	3600 Lm
Luminous Efficacy Lamp EM	71 Lm/W
Lumen Maintenance 2000h	78 %
Lumen Maintenance 5000h	68 %
Design Mean Lumens	2450 Lm

UV-related Characteristics

PET (NIOSH)	172 h.klx
Damage Factor D/fc	0.481 -

Product Dimensions**Downloads**

-  [Leaflet](#)
-  [Family - full data sheet](#)
-  [Material Safety Data Sheets](#)
-  [Warning or caution notice](#)
-  [Product Images](#)
-  [Product Diagrams](#)

[Careers](#) | [Contact](#) | [Philips](#) | [Privacy policy](#) | [Terms of use](#) | [Site Map](#)
©2004-2010 Koninklijke Philips Electronics N.V. All rights reserved.