### Return to search



## Print Page

14486

50PAR30LN/HAL/WFL50 130V

Tungsten Halogen CAPSYLITE PAR30 Long Neck Reflector Lamp Medium Base 50Watt 130Volt Wide Flood Beam

Product Information	
Abbrev. With Packaging Info.	50PAR30LNHALWFL50 130V 15/CS 1/SKU
Approx. Lumens	660
Average Rated Life (hr)	2500
Base	E26 Medium
Beam Angle (deg)	50
Beam Type	WFL
Bulb	PAR30LN
Centerbeam Candlepower (cp)	660
Class	C (gas)
Color Rendering Index (CRI)	100
Color Temperature/CCT (K)	2850
Diameter (in)	3.75
Diameter (mm)	95.25
Ecologic	YES
Family Brand Name	CAPSYLITE® PAR30 Long Neck
Filament	CC-8
Horizontal Beam Angle (deg)	50
Maximum Overall Length - MOL (in)	4.625
Maximum Overall Length - MOL (mm)	119.0625
Nominal Voltage (V)	130.00
Nominal Wattage (W)	50.00
Vertical Beam Angle (deg)	50

# Additional Product Information <u>Product Documents, Graphs, and Images</u>

### Froduct Documents, Graphs, and I

Packaging Information





#### Footnotes

- State of the Art SPL Optics
- For indoor or outdoor use where not directly exposed to weather. Exposure to weather may damage the bulb.
- In base up operation, heat may eventually deteriorate paper-lined or plastic sockets.
- Retrofit for 65BR30/FL, or 75R30/FL.
- Approximate life for 130 volt tungsten halogen lamps operated at 120 volts is within the value calculated using the recommended equations for standard incandescent lamps, as set forth in the IES Handbook, 8th edition. Because of the uncertain nature of the halogen cycle on the coil when operated at less than rated voltage, life of tungsten halogen lamps varies considerably and unpredictably. OSRAM SYLVANIA does not recommend operation at other than rated voltage.
- @ 120 volts, approximate 44 watts, 500 lumens, 5000 hours

Print Page