DULUX® T Compact Fluorescent Lamps

2-Pin Compact Fluorescent Lamps



SYLVANIA DULUX T lamps are ideal for low-cost fixtures where shorter overall length and higher lumen packages are required. They are more compact than the 18 and 26 Watt DULUX D lamps.

SYLVANIA DULUX T compact fluorescent lamps are ideal for use in a wide range of residential applications. They are designed to be operated on magnetic ballasts.

SYLVANIA DULUX T lamps are long-life, energy-saving alternatives for incandescent lamps.

Key Features & Benefits

- Consumes 75% less power than incandescent of comparable light output
- Passes Federal TCLP Test*
- Operates on magnetic ballast systems
- Plug-in base with integral starter and interference suppressor
- Direct replacement for 18 and 26 Watt DULUX D
- · High luminous efficacy

Product Offering

- Rare earth tri-phosphor with 82 CRI
- Long 12,000 hour average rated life
 - Reduces re-lamping and related costs
- The delta tube configuration of the DULUX T lamp is preferred by fixture manufacturers for its radially symmetrical light output
- Smallest base available compared to lamps of equal or greater wattage
- RoHS compliant

^{*} Regulations may vary. Check your local and state regulations.



 $\begin{tabular}{ll} ECOLOGIC @ is a comprehensive program of OSRAM SYLVANIA focused on addressing environmental issues at all stages of lamp life. \\ \end{tabular}$

es for Lamp

Lamp	Wattage	Rated Lumens
CF18DT	18	1,200
CF26DT	26	1,800

System Comparison

Lamp Type	Rated Lamp Life (hrs.)	Ballast Factor	System Lumens	System Wattage	System LPW	Energy Savings	
100W Incandescent	750	n/a	1,710	100	17	_	
DULUX T 26W	12,000	0.95	1,710	33	52	67%	

Application Information

Applications

- · Garden and walkway lighting
- Pendant fixtures
- Recessed ceiling fixtures
- · Task and downlights
- · Wall sconces
- Wall washes

CF054 12/09

Fixtures

Contact your local fixture agent for available fixtures.

Ballast Information

Contact your OSRAM SYLVANIA representative for a list of compatible operating systems.

Application Notes

- 1. 2-Pin lamps designed for preheat magnetic ballast operation.
- 2. Minimum starting temperature depends on ballast.
- 3. Rule of thumb: to estimate the appropriate compact fluorescent lamp wattage, divide the incandescent wattage by 4.
- Equipment manufacturers are advised to consult ANSI and IEC standards for the maximum allowable dimensions and temperature to insure compatibility with similar products.



Specification Data

Catalog #	Туре
Project	
Comments	
Prepared by	Date

Ordering Information

Item Number	Ordering Abbreviation	NEMA Generic Designation	Base	Watts	Volts	Amps	Initial Lumens	Mean Lumens ¹	ССТ	CRI	Avg. Rated Life (hrs.) ²
20756	CF18DT/827/ECO	CFM18W/GX24d/827	GX24d-2	18	100	.225	1,200	1,032	2700K	82	12,000
20752	CF26DT/827/ECO	CFM26W/GX24d/827	GX24d-3	26	105	.325	1,800	1,548	2700K	82	12,000

- 1. Measured at 40% of rated life.
- 2. Based on 3 hours per start. Number of operating hours when half have failed and half are still functional.


Ordering Guide

CF	26	DT /	827	1	ECO
Compact Fluorescent	Wattage	DULUX Triple	8 = 82 CRI 27 = 2700K	CCT	ECOLOGIC®

Technical Information

Dimensions

Lamp	(A) MOL in. (mm)	(B) Max. Base Face to Top of Lamp in. (mm)	(C) Max. Base Width in. (mm)	(D) Guide Post Length in. (mm)
CF18DT	4.84 (123)	3.85 (98)	1.90 (48)	0.9 (23)
CF26DT	5.43 (138)	4.43 (113)	1.90 (48)	0.9 (23)






Typical Fluorescent Lamp Mortality



DULUX 827



Sample Specification

Lamp(s) shall be (a) DULUX® (CF18DT or CF26DT) ECO® lamps, and pass existing Federal TCLP limits. Lamp(s) shall have an average rated life of 12,000 hours, a correlated color temperature of 2700K and a CRI of 82. Lamps shall have a (GX24d-2 or -3) plug-in, 2-pin base with integral starter and be suitable for use on magnetic ballasts.

United States OSRAM SYLVANIA

100 Endicott Street Danvers, MA 01923

Trade

Phone: 1-800-255-5042 Fax: 1-800-255-5043

National Accounts

Phone: 1-800-562-4671 Fax: 1-800-562-4674

OEM/Special Markets

Phone: 1-800-762-7191 Fax: 1-800-762-7192

Display/Optic

Phone: 1-888-677-2627 Fax: 1-800-762-7192

Canada

OSRAM SYLVANIA LTD.

2001 Drew Road Mississauga, ON L5S 1S4

Trade

Phone: 1-800-263-2852 Fax: 1-800-667-6772

OEM/Special Markets/Display/Optic

Phone: 1-800-265-2852 Fax: 1-800-667-6772