

2009

SUPPLEMENT



American-De Rosa Lamparts

THE BIG BOOKTM

The largest selection of electrical products & lighting hardware for the lamp & lighting industry



2

SOCKETS



**METAL SHELL 3-WAY
BRASS ELECTROLIER**
HAND POLISHED & LACQUERED
LO-MED-HI-OFF
FOR USE WITH 3-WAY LAMP
SOLID BRASS
REMOVABLE TURN-KNOB
BUSHING TAPPED 1/8 IPS
RATED 250W – 250V
D3855 ANTIQUE BRASS
D3857 SATIN NICKEL



**ON/OFF FLAT KEY "FAT BOY"
BRASS SHELL SOCKET**
HAND POLISHED & LACQUERED
BUSHING TAPPED 1/8 IPS
RATED 250 – 250V
D4420



**FULL DIMMER SOCKET
SOLID BRASS TURN KNOB**
WITHOUT UNO THREAD
FOR USE W/ 3-WAY LAMP
1/8F BUSHING
RATED 150-120V
D692



**FULL DIMMER SOCKET
SOLID BRASS TURN KNOB**
WITH UNO THREAD
FOR USE W/ 3-WAY LAMP
1/8F BUSHING
RATED 150-120V
D690



FULL RANGE DIMMER POL BR LACQ
REMOVABLE KNOB
150W - 120V
D5858



**FULL RANGE DIMMER POL
NICKEL (LACQUERED)**
REMOVABLE KNOB
150W - 120V
D5856



**MOGAL TO MOGAL
4 KV PULSE RATED GLAZED
PORCELAIN SOCKET EXTENSION**
FOR USE WITH HIGH INTENSITY
DISCHARGE LAMPS • COPPER ALLOY,
NICKEL-PLATED SCREW SHELL
RATED 1500W – 600V
D348



METAL SHELL SOLID BRASS
1/4F CAP W/SET SCREW
D7531



**PAPER INSULATOR
FOR D238/D63**
D239



UNO THREAD BRASS RING
DIAMOND KNURL
1-5/16 x 18F
D696

SOCKETS



3



ZINC DIE CAST SWIVEL
WING NUT RATCHET TEETH LOCKING
1/2 IP M
(Socket NOT INCLUDED)
D599



**KEYLESS LONG
INTERIOR ELECTROLIER**
HEIGHT 1-5/8
RATED 660W – 250V
D83



**KEYLESS LONG
INTERIOR ELECTROLIER**
2-CIRCUIT, 3-TERMINAL
RATED 660W – 250V
D85



**2-LIGHT PHENOLIC
CANDELABRA BASE SOCKET**
BRACKET HEIGHT 3-3/16
9" 150° LEADS
TOP BUSHING TAPPED 1/8 IPS
BOTTOM SLIPS 1/8 IPS
RATED 75W – 125V
D620



BA15AS BRASS SOCKET
STAINLESS STEEL SPRING
D3762 50" 18/2 AWG
105° SPT-1 LEADS
D3764 50" 18/2 AWG
200° SPT-1 LEADS




CERAMIC WEDGE BASE SOCKET
STAINLESS STEEL BRACKET
SLIPS 1/8 IPS
3/16" SIDE HOLE
D2606 9" 200°C LEADS
D2608 36" 105° SPT-1 LEADS




4-PIN SOCKETS



**HORIZONTAL
SCREW DOWN SOCKET**
FOR G24Q-1 & GX24Q-1
LAMP BASES
13 WATT 4-PIN CFL
D2840



**HORIZONTAL
SCREW DOWN SOCKET**
FOR G24Q-2 & GX24Q-2
LAMP BASES
18 WATT 4-PIN CFL
D2842



**HORIZONTAL
SCREW DOWN SOCKET**
FOR G24Q-3 & GX24Q-3
LAMP BASES
26 & 32 WATT 4-PIN CFL
D2844



SOCKET WITH HICKEY
FOR G24Q-1 & GX24Q-1
LAMP BASES
13 WATT 4-PIN CFL
1/8 IPS HICKEY
D2740



4

GU24 SOCKETS



**STANDARD TWIST-N-LOCK
GU-24 ELECTRONIC
SOCKET BALLAST**
DIAMETER: 1-1/2"
HEIGHT W/OUT PINS: 2"
G24Q-1/GX24Q-1
D3520 13 WATTS
G24Q-2/GX24Q-2 (SHOWN)
D3522 18 WATTS
G24Q-3/GX24Q-3
D3524 26 WATTS



**SHORT TWIST-N-LOCK
GU-24 ELECTRONIC
SOCKET BALLAST**
WIDTH: 2-3/8"
HEIGHT W/OUT PINS: 1-1/2"
G24Q-2/GX24Q-2
D3542 18 WATTS
G24Q-3/GX24Q-3
D3544 26 WATTS



**THREADED TWIST-N-LOCK
GU-24 ELECTRONIC
SOCKET BALLAST WITH RING**
DIAMETER: 1-1/2"
HEIGHT W/OUT PINS: 2"
G24Q-1/GX24Q-1
D3530 13 WATTS
G24Q-2/GX24Q-2 (SHOWN)
D3532 18 WATTS
G24Q-3/GX24Q-3
D3534 26 WATTS
REPLACEMENT RING
DIAMETER: 2"
HEIGHT: 1/2"
D547



**MEDIUM BASE (E-26) TO GU-24
HIGH HEAT RESISTANCE PLASTIC
SOCKET ADAPTER**
IRREVERSIBLE, TAMPER PROOF
(CANNOT BE REMOVED ONCE INSTALLED)
RATED 660W – 250V
D3560



**2-LIGHT GU-24 PET
CLUSTER SOCKET**
BRACKET HEIGHT 3-1/4"
9" 150° LEADS
BUSHINGS TAPPED 1/8 IPS
TOP & BOTTOM
RATED 660W – 250V
D604

GU24 SOCKETS



5



GU24 SOCKET
WITH SIDE CLIP
18" AWM 105° LEADS
RATED 600V – 660W
D3511



GU24 SOCKET
WITH SIDE HICKEY
18" AWM 105° LEADS
RATED 600V – 660W
D3512



GU24 SOCKET
1/8F • LOCKING FEATURE
18" AWM 105° LEADS
RATED 600V – 660W
D3513



GU24 SOCKET
WITH LOCKING FEATURE
18" AWM 105° LEADS
RATED 600V – 660W
D3514



GU24 SOCKET
1/8F • WITH GROUND WIRE
18" AWM 105° LEADS
RATED 600V – 660W
D3516



GU24 SOCKET
MOUNTING BASE
1/8 IP F
18" AWM 105° LEADS
RATED 600V – 660W
D3517



GU24 SOCKET
MOUNTING BASE
WITH L BRACKET
#8/32 SCREW HOLES
18" AWM 105° LEADS
RATED 600V – 660W
D3518



GU24 SOCKET
MOUNTING BASE
WITH 1/8F "U" HICKEY
#8/32 SCREW HOLES
18" AWM 105° LEADS
RATED 600V – 660W
D3519



GU24 - 13W FIXTURE OUTLET
HARD IMPACT PLASTIC
600V - 660W
BULB INCLUDED (INDIVIDUALLY BOXED)
K9625



4-1/2" FIXTURE RECEPTACLE GU24
TO FIT OVER 3-1/4" - 4" BOX
600V - 660W
D5091



6

ELECTRONIC BALLASTS



ELECTRONIC BALLAST RAPID START

FOR USE WITH ONE OR TWO FQ54W, FT50W
FT55W OR TWO FQ39W LAMPS
OPEN CIRCUIT VOLTAGE 600V MAX.
MIN STARTING TEMP-30°C
SOUND RATING A
INHERENT THERMAL PROTECTION
TYPE HL

D5660



SOLID STATE ELECTRONIC BALLAST

APPROVED FOR LAMPS:

2 x F40T8

3 x F17T8, F25T8, F32T8, F40T8, F32T8(30W/
28W/25W), FBO31T8, FBO24, FBO16

4 x F17T8, F25T8, F32T8, F32T8(30W), FBO24,
FBO16, FBO31T8 WHEN USED PER WIRING SPECS.

D5662



SOLID STATE ELECTRONIC BALLAST

APPROVED FOR LAMP:

1 OR 2 LINEAR F25T8, F32T8

2 ONLY LINEAR F17T8, F40T12, F34T12, F30T12,
F25T12, F20T12 WHEN USED PER WIRING SPECS

D5663



ELECTRONIC FLUORESCENT BALLASTS



**ELECTRONIC
FLUORESCENT BALLAST**
FOR (1) F8T5, F13T5
CFT5W 2G7, CFT7W 2G7 OR
CFT9W 2G7 BULB
END OF LIFE PROTECTION
D2914



**ELECTRONIC
FLUORESCENT BALLAST**
FOR (1) 13W OR 18W 4-PIN CFL,
F14T8, F14T12, F15T8, F15T12, F17T8,
F18T8, F20T8, F20T12, OR FC8T9 (22W)
BULB – CIRCLINE, NO PLUGS
END OF LIFE PROTECTION
D2916



**ELECTRONIC
FLUORESCENT BALLAST**
FOR (1) FC8T9 (22W) + (1) FC12T9 (32W)
CIRCLINE BULBS
END OF LIFE PROTECTION
D2913



**ELECTRONIC
FLUORESCENT BALLAST**
FOR (1) OR (2) 13W, 18W OR 26W
4-PIN CFL, 18W, 24W OR 27W 2G11,
FC6T9, FC8T9 (22W) OR FC12T9 (32W)
BULBS – CIRCLINE, NO PLUGS
END OF LIFE PROTECTION
D2962



**ELECTRONIC
FLUORESCENT BALLAST**
FOR (2) F25T8, F25T12, F30T8
F30T12, F32T8, F34T12, F40T8
F40T10 OR F40T12 BULBS
END OF LIFE PROTECTION
D2953



TYPE 1 CLASS P
1-FC8T922W
1-FC12T932W
D5913



TYPE 1 CLASS P
2-FC12T932W
D5962



8

MISCELLANEOUS



WHITE FLEX SOCKET EXTENDER

POWDER-COATED ALUMINUM SHELL
W/ PORCELAIN SOCKET AND STEEL FLEX

- D251 - 6" EXTENSION MB TO MB
- D253 - 6" EXTENSION MB TO GU10
- D260 - 10" EXTENSION MB TO MB
- D262 - 10" EXTENSION MB TO GU10
- D252 - 20" EXTENSION MB TO MB
- D254 - 20" EXTENSION MB TO GU10



LOBSTER BRAND AK-25 HEAVY DUTY CRIMP TOOL

UL REQUIRED FOR USE WITH
B1750 & B1755 OPEN END
CRIMP-ON CONNECTORS

X80



STRAIN RELIEF FOR SVT/SJT ROUND CABLE

1/8 IPS F
CLEAR
W/ SCREW SET
B2602



TRIPLE SPRING CLIP GLASS HOLDER

CLIP LEG LENGTH 2-1/4"
SLIPS 1/8 IPS

E919



SOLID BRASS SWIVEL BRACKET

1/8 IPS MALE

D552



T-5 SNAP/SLIDE ON LAMP HOLDER

D3980



FLUORESCENT LUMINAIRE 2-WIRE DISCONNECT

B1722



5 WATT NIGHT LIGHT BASE

POLARIZED

D509



FEED-THRU SINGLE POLE WHITE HEAVY DUTY SWITCH

FOR USE WITH FLAT FLEXIBLE CORD 18/2
& 16/2 TYPE SPT-1, SPT-2, OR ROUND
FLEXIBLE CORD 18/2 TYPE SVT & OTHER
CORDS UP TO 9/32

MAXIMUM OUTER JACKET DIAMETER
RATED 3A-125V

D179



PLUG-IN TABLE TOP DIMMER

FULL-RANGE WITH POSITIVE OFF
W/ LED NIGHT LIGHT
RATED 300W-120V

D2890



FULL-RANGE DIMMER

30" TINNED END LEADS
8' HANKED POLARIZED SPT-2 CORD SET
RATED 200W-120V

D2886 CLEAR SILVER CORD SET
W/ CLEAR DIMMER CASE

MISCELLANEOUS



9



ROUND PUSH SWITCH
BLACK BODY W/ BLACK ROCKER
PRIMARYLY USED FOR HALOGEN TABLE LAMPS
RATED 10A-125V, 6A-250V
D5575



STAINLESS STEEL WIRE MESH
OVER SJT 18 AWG
3-WIRE #18 • 105°
TYPE SJT • 300V
WILL NOT SLIP 1/8 IPS
100 FOOT SPOOL
D910



INCANDESCENT & FLUORESCENT PHOTO CONTROL
W/ DUSK TO DAWN
SWIVEL HOOD & BASE
D579



8' GREEN INDOOR GROUND EXT. 3 OUTLETS
8' W-SPT 16-3 13A 125V - 1625W
D5888



IVORY FEED THRU SLIDE DIMMER
SPT-2 WIRE - INCANDESCENT ONLY
W/ LED NIGHT LIGHT 120V - 300W
D5892



MICRO SLIDE DIMMER 8' WHITE
300W - 120V 8 FOOT CORD SPT 2
2.5A INCANDESCENT ONLY
D5890

WIRE / CABLE

RAYON COVERED PARALLEL LAMP CORD
18/2 SPT-1
FOR THE RICH ANTIQUE LOOK
WILL NOT FRAY OR SLIP
150 FOOT SPOOL

- | | |
|---------------------------|----------------------------|
| D9320 GOLD | D9326 RED |
| D9321 BROWN | D9327 LIGHT BROWN |
| D9322 BLACK | D9328 SILVER WHITE |
| D9323 LIGHT BRONZE | D9329 CYPRESS GREEN |
| D9324 CREAM | D9330 ELECTRIC BLUE |
| D9325 BURGUNDY | |



OUTDOOR LOW-VOLTAGE CABLE
8/2 SPT-3 • AWG 150V
500 FOOT SPOOL
D3476



OUTDOOR LOW-VOLTAGE CABLE
10/2 SPT-3 • AWG 150V
500 FOOT SPOOL
D3478




10

MISCELLANEOUS



HEX LOCK NUT
BRASS
5/16" Hex • 8-32 TAP
B5022



HEX BALL CAP NUT
Hex 7/16"
HEIGHT 7/16"
8/32 F TAP
B5080



SPLIT TYPE
STEEL LOCK WASHER
SLIP 1/4 IPS
B5010



BRASS LOCK NUT
1/2 IP
1-1/8" DIAMETER
B5029



EXTERNAL SPROCKET
STEEL LOCK WASHER
SLIP 1/4 IPS
B5040



ROUND ACRYLIC FINIAL
DIAMETER 1-1/2"
HEIGHT 2-1/2"
1/4 27 F TAP
W3002

CRYSTAL LAMP PARTS



11



**BLACK
U-DROP CRYSTAL**
HAND POLISHED
CHROME PINNING
Y14 75MM



**BLACK
TEAR DROP**
HAND POLISHED
CHROME PINNING
Y327 75MM
Y328 100MM
Y329 150MM



**BLACK
ALMOND**
HAND POLISHED
CHROME PINNING
Y37 50MM
Y38 63MM



**BLACK
FRENCH PENDALOGUE**
HAND POLISHED
CHROME PINNING
Y175 50MM
Y176 63MM
Y177 75MM
Y178 100MM



BEADED BULB COVERS
HAND CUT & POLISHED
FOR CANDELABRA AND MEDIUM BASE
B-10 BULBS

Y351	CLEAR
Y7601	DARK AMBER
Y7603	LIGHT AMBER
Y7605	AMETHYST



BEADED BULB COVERS
HAND CUT & POLISHED
FOR STANDARD A-BULBS

Y350	CLEAR
Y7600	DARK AMBER
Y7602	LIGHT AMBER
Y7604	AMETHYST



FRACTURED CRYSTAL ALMOND
CLEAR • ONE PIN HOME

Y4001	1-1/2"
Y4002	2"
Y4003	2-1/2"
Y4004	3"
Y4005	3-1/2"



FRACTURED CRYSTAL HALF-PEAR
CLEAR • ONE PIN HOME

Y4008	1-1/2"
Y4009	2"
Y4010	2-1/2"
Y4011	3"
Y4012	3-1/2"
Y4013	4"



CRYSTAL DROP
HAND CUT AND POLISHED
HEIGHT 3"
Y250



CRYSTAL PRISM
HAND CUT AND POLISHED
HEIGHT 2"
Y280



12


CRYSTAL LAMP PARTS



BALL CHAIN
LENGTH 1 METER
WIDTH 10MM BEAD
X96



10MM BLACK BALL CHAIN
1 MTR, SILVER PIN
X89



14MM OCTAGON FACETED BEAD
1 MTR SILVER PIN
X87



HURRICANE GLASS
CLEAR CRYSTAL SHADE
9" HEIGHT • 4" MIDDLE DIAMETER
5-3/8" TOP FLAIR DIAMETER
G9478

High Quality



HURRICANE GLASS
HAND CUT CRYSTAL SHADE
8" HEIGHT • 3-1/8" MIDDLE DIAMETER
4-3/8" TOP FLAIR DIAMETER
G9489



UNFINISHED CAST BRASS LOOPS

13



HANG STRAIGHT LOOP
2-1/2" HEIGHT
1/8F WITH WIREWAY
E5020



LARGE LOOP
3-3/4" HEIGHT
1/8F WITH WIREWAY
E5021



LARGE LOOP
2-3/4" HEIGHT
1/8F WITH WIREWAY
E5022



LARGE LOOP
3" HEIGHT
1/8F WITH WIREWAY
E5023



LARGE LOOP
2-1/2" HEIGHT
1/8F WITH WIREWAY
E5024



LARGE LOOP
3-5/8" HEIGHT
1/8F WITH WIREWAY
E5025



LARGE LOOP
2-3/4" HEIGHT
1/8F WITH WIREWAY
E5026



LARGE LOOP
3-5/8" HEIGHT
1/8F WITH WIREWAY
E5029



LOOP
W/ NOTCHES
DIAMETER 2"
HEIGHT 2-3/4"
1/8 F TAP
VACUUM PLATED
B5041



LOOP
DIAMETER 2"
HEIGHT 2-3/4"
1/8 F TAP
UNFINISHED
B5042



LARGE LOOP
1-3/4" HEIGHT
1/8F WITH WIREWAY
E5027



LARGE LOOP
3-1/4" HEIGHT
1/8F WITH WIREWAY
E5028



LARGE LOOP
3-3/8" HEIGHT
1/8F WITH WIREWAY
E5030




14

MISCELLANEOUS



CAST BRASS FLAT BASE
MATTE BRONZE FINISH
DIA. 2-3/4"
CENTER HOLE 1/2" NPT FEMALE
B2012



CAST BRASS DOME BASE
MATTE BRONZE FINISH
DIA. 2-3/4"
CENTER HOLE 1/2" NPT FEMALE
B2014



**BRASS PLATED
BULB CLIP ADAPTER**
(SOLD WITHOUT FINIAL)
A753



SOCKET WRENCH
FOR METAL RING
D5903



**UNFINISHED SOLID
BRASS HARP**
7" HEIGHT
2-1/2" WIDTH
1/8F x 1/8 IP SLIP
A792



**UNFINISHED SOLID
BRASS HARP**
7-1/2" HEIGHT
4" WIDTH
1/8F x 1/8 IP SLIP
A790



**UNFINISHED SOLID
BRASS HARP**
5-3/4" HEIGHT
4" WIDTH
1/8F x 1/8 IP SLIP
A794

CEILING MEDALLIONS



15

THESE BEAUTIFUL LIGHT WEIGHT POLY FOAM MEDALLIONS IN
EXTRAORDINARY FINISHES ARE AVAILABLE FROM
THE MICHAEL MARTIN COLLECTION
OR AVAILABLE AS STAND ALONE UNITS



18" POLYFOAM CEILING MEDALLION

MATALAN
FALL FOREST PEARLESCENT
E3124-FFP




18" POLYFOAM CEILING MEDALLION

MORGANA
BLACK GOLD
E3123-BKG




18" POLYFOAM CEILING MEDALLION

MAJORCA
SPANISH BURL SILVER DUST
E3125-SBS



18" POLYFOAM CEILING MEDALLION

MALAGA
SPANISH BRONZE
E3122-SBZ



18" POLYFOAM CEILING MEDALLION

MARSEILLES
ANTIQUE BROWN TORTOISE
E3121-ABT



CANOPYS



CAST BRASS CANOPY
 DIAMETER 6"
 HEIGHT 1-3/4"
 CENTER HOLE SLIPS 1-13/32"
 POLISHED BRASS
E6662-10



CAST BRASS CANOPY
 DIAMETER 6"
 HEIGHT 1-3/4"
 CENTER HOLE SLIPS 1-13/32"
 ANTIQUE BRASS
E6662-11



CAST BRASS CANOPY
 DIAMETER 6"
 HEIGHT 1-3/4"
 CENTER HOLE SLIPS 1-13/32"
 SATIN NICKEL
E6662-53



CAST BRASS CANOPY
 DIAMETER 6"
 HEIGHT 1-3/4"
 CENTER HOLE SLIPS 1-13/32"
 RUBBED BRONZE
E6662-62



CAST BRASS CANOPY
 DIAMETER 5-1/2"
 HEIGHT 1-5/8"
 CENTER HOLE SLIPS 1-13/32"
 POLISHED BRASS
E6663-10



CAST BRASS CANOPY
 DIAMETER 5-1/2"
 HEIGHT 1-5/8"
 CENTER HOLE SLIPS 1-13/32"
 ANTIQUE BRASS
E6663-11



CAST BRASS CANOPY
 DIAMETER 5-1/2"
 HEIGHT 1-5/8"
 CENTER HOLE SLIPS 1-13/32"
 SATIN NICKEL
E6663-53



CAST BRASS CANOPY
 DIAMETER 5-1/2"
 HEIGHT 1-5/8"
 CENTER HOLE SLIPS 1-13/32"
 RUBBED BRONZE
E6663-62

UNFINISHED CANOPYS

READY TO FINISH WITH YOUR OWN FINISH



POLY RESIN CANOPY
 WIDTH 5-1/2"
 HEIGHT 1-5/8"
 CENTER HOLE SLIPS 1-1/16"
P2032



POLY RESIN CANOPY
 WIDTH 6"
 HEIGHT 1-3/4"
 CENTER HOLE SLIPS 1"
P2030



POLY RESIN CANOPY
 WIDTH 7"
 HEIGHT 2"
 CENTER HOLE SLIPS 1"
P2034



POLY RESIN CANOPY
 WIDTH 9"
 HEIGHT 2-5/16"
 CENTER HOLE SLIPS 1"
P2036

UNFINISHED CAST BRASS PARTS



17



CAST BRASS BASE
DIAMETER 5-1/8" • HEIGHT 7/8"
SEATING AREA 3-1/16"
SLIP 1/8 IPS
E5181



CAST BRASS BASE
DIAMETER 7-1/4" • HEIGHT 1"
SEATING AREA 5-1/4"
SLIP 1/8 IPS
E5179



CAST BRASS DISH BASE
DIAMETER 8-1/2" • HEIGHT 1-7/8"
SEATING AREA 1-3/16"
TAP 1/8F
E5182



CAST BRASS BASE CAP
DIAMETER 5-7/8" • HEIGHT 1-3/8"
SLIP 1/8 IPS
E5205



CAST BRASS BASE CAP
DIAMETER 7-7/8" • HEIGHT 1/4"
SEATING AREA 4-1/2"
SLIP 1/8 IPS
E5206



CAST BRASS CAP
DIAMETER 3-1/2" • HEIGHT 1-1/4"
SLIP 1/8 IPS
E5340



CAST BRASS CAP
DIAMETER 3-1/8" • HEIGHT 1/2"
SLIP 1/8 IPS
E5207



CAST BRASS CAP
DIAMETER 5-1/2" • HEIGHT 1-1/2"
SLIP 1/8 IPS
E5209



CAST BRASS CAP
DIAMETER 4" • HEIGHT 1-1/16"
SLIP 1/8 IPS
E5210



CAST BRASS CAP
DIAMETER 2-3/8" • HEIGHT 3/8"
SLIP 1/8 IPS
E5208



CAST BRASS SPINDLE
DIAMETER 2-1/4"
HEIGHT 2-3/4"
TOP & BOTTOM SEAT 7/8"
SLIP 1/8 IP
E5321



CAST BRASS SPINDLE
DIAMETER 2-3/4"
HEIGHT 3-1/2"
TOP SEATS 1-1/2"
BOTTOM SEATS 1-9/16"
SLIP 1/4 IP
E5323



CAST BRASS SPINDLE
DIAMETER 1-3/4"
HEIGHT 3"
TOP SEATS 1"
BOTTOM SEATS 1-15/16"
SLIP 1/8 IP
E5324



UNFINISHED CAST BRASS PARTS



SOLID BRASS FIXTURE CHAIN
 DECORATIVE AND SMALL
 RECTANGULAR LINK
 SIDE-CUT
 19-1/4" LENGTHS
E5343



SOLID BRASS FIXTURE CHAIN
 DECORATIVE AND SMALL
 RECTANGULAR LINK
 SIDE-CUT
 23" LENGTHS
E5344



SOLID BRASS FIXTURE CHAIN
 DECORATIVE AND SMALL
 RECTANGULAR LINK
 SIDE-CUT
 32" LENGTHS
E5345



SOLID BRASS FIXTURE CHAIN
 DECORATIVE AND SMALL
 RECTANGULAR LINK
 SIDE-CUT
 25-1/2" LENGTHS
E5349



CAST BRASS CAP
 DIAMETER 5-1/2" • HEIGHT 2"
 SLIP 1/8 IPS
E5438



**CAST BRASS
 COLUMN BREAK**
 DIAMETER 1-1/4"
 SLIP 1/8 IPS

E5468
 HEIGHT 7"
 TOP SEATS 1-3/16"
 BOTTOM SEATS 2"

E5469
 HEIGHT 5-3/4"
 TOP SEATS 1-15/16"
 BOTTOM SEATS 2-5/8"



CAST BRASS CAP
 DIAMETER 4" • HEIGHT 1"
 SLIP 1/8 IPS
E5371



CAST BRASS CAP
 DIAMETER 5-1/2" • HEIGHT 1-1/2"
 SLIP 1/8 IPS
E5373

PREMIUM BRACKET BARS



19



ZINC BRACKET BAR
1/8-27 IP
GROUND SCREW • WIRE TIPS
B6400



ZINC BRACKET BAR
3/8-18 IP
GROUND SCREW • WIRE TIPS
B6404


CROSS BARS .0845" THICKNESS



ZINC BRACKET BAR
1/4-18 IP
GROUND SCREW • WIRE TIPS
B6402



UNFINISHED BRACKET BAR
1/8 IP
GROUND SCREW & TIPS
B6406



UNFINISHED BRACKET BAR
3/8 IP
GROUND SCREW & TIPS
B6410

PREMIUM CROSS BARS 0.1150" THICKNESS



UNFINISHED BRACKET BAR
1/4 IP
GROUND SCREW & TIPS
B6408



SPIDER WASHER
8/32F SIDE HOLES
B8803 3 HOLES
B8804 4 HOLES



BRASS SHOULDER REDUCER
1/2M x 1/8F
B1002



PORCELAIN WIRE NUT
FOR ALL TEMPERATURE SUPPLY WIRE



SMALL
RATED UP
TO 2-#18
300V
B1800

MEDIUM
RATED UP
TO 4-#18
300V
B1802

LARGE
RATED UP
TO 5-#18
300V
B1804



PORCELAIN WIRE NUT
NON-UL

SMALL
B1806

MEDIUM
B1808

LARGE
B1810



T-9-1/2 — Candle Stick
Perma-Glow — Inside White
 Candelabra E-12 Brass Base

Box
 120-240 Volt 30 Watts at 120V **L4083**

Perma-Glow Antique Style Bulbs are specially engineered to provide a beautiful, mood enhancing level of light at standard line voltage. Most will operate with a normal life expectancy, all the way up to 240 volts! The wonderful glow from the special filaments is reflected magically in the crystalline envelope of the clear bulbs.

PERMA-GLOW SIGNATURE



T-12 — Candolier
Perma-Glow — Opal
 Medium E-26 Brass Base

Box
 130 Volt 60 Watt **L2782**

Wattage	Voltage	Bulb Part #	Type	Finish	Base	Code Abbreviation	Avg. Rated Hours	M.O.L.	Pack. Type	Master Carton/Inner Pack
30 at 120V	120-240	L4082	T-9	Smoke	Med (E-26)	30T9/4	3,000	7-3/8"	Box (1)	100/10
60	130	L2782	T-12	Opal	Med (E-26)	60T12/1W/3	1,500	12-1/4"	Box (1)	24/4

PERMA-GLOW SIGNATURE

Perma-Glow Antique Style Bulbs are specially engineered to provide a beautiful, mood-enhancing level of light at standard line voltage. Most will operate with a normal life expectancy, all the way up to 240 volts! The wonderful glow from the special filaments is reflected magically in the crystalline envelope of the clear bulbs.




T-14 — Radio
Perma-Glow — Smoke
Medium E-26 Brass Base

120-240 Volt 30 Watts at 120V Box
L4080



T-9 — Beacon
Perma-Glow — Smoke
Medium E-26 Brass Base

120-240 Volt 30 Watts at 120V Box
L4082



S-21 — Marconi
Perma-Glow — Clear
Medium E-26 Brass Base

120-240 Volt 30 Watts at 120V Box
L2780

Wattage	Voltage	Bulb Part #	Type	Finish	Base	Code Abbreviation	Avg. Rated Hours	M.O.L.	Pack. Type	Master Carton/Inner Pack
30 at 120V	120-240	L2780	S-21	Opal	Med (E-26)	30S21/4	3,000	5-5/16"	Box (1)	60/6
30 at 120V	120-240	L4080	T-14	Smoke	Med (E-26)	30T14/4	3,000	4-5/16"	Box (1)	100/10
30 at 120V	120-240	L4082	T-9	Smoke	Med (E-26)	30T9/4	3,000	7-3/8"	Box (1)	100/10



22

PERMA-GLOW



CA-11 — Swan
Perma-Glow — Smoke
 Candelabra E-12 Brass Base

Box			
120-240 Volt	12.5 Watts at 120V	L4085	
120-240 Volt	20 Watts at 120V	L4088	



B-11 — Old Gold
Perma-Glow — Gold Swirl
 Candelabra E-12 Brass Base

Box			
120-240 Volt	20 Watts at 120V	L4089	



CA-10 — 32mm Flame Tip
Carbon Filament — Clear
 Candelabra E-12 Nickel-Plated Brass Base

Box			
120 Volt	25 Watts	L4070	



F-13 — Torch
Perma-Glow — Frosted
 Medium E-26 Brass Base

Box			
120-240 Volt	30 Watts at 120V	L4084	

Wattage	Voltage	Bulb Part #	Type	Finish	Base	Code Abbreviation	Avg. Rated Hours	M.O.L.	Pack. Type	Master Carton/Inner Pack
12.5 at 120V	120-240	L4085	CA-11	Smoke	Cand (E-12)	12-1/2CA11/C/LS/4	3,000	5" Box (1)	100/10	
20 at 120V	120-240	L4088	CA-11	Smoke	Cand (E-12)	12-1/2CA11/C/LS/4	3,000	5" Box (1)	100/10	
	120-240	L4089	B-11	Gold Swirl	Cand (E-12)	20B11/C/GS/3	3,000	3-13/16"	Box (1)	100/10
25	120	L4070	CA-10	Clear	Cand (E-12)	25CA10/C/CF	-	4-1/8"	Box (1)	25/5
30 at 120V	120-240	L4084	F-13	Frosted	Med (E-26)	30F13/F/4	3,000	5" Box (1)	100/10	



PA-11 — Pagoda
Perma-Glow — Clear
 Candelabra E-12 Brass Base

120 Volt 15 Watt Box
L4094



PA-11 — Pagoda
Perma-Glow — Inside Frost
 Candelabra E-12 Brass Base

120 Volt 15 Watt Box
L4095

PERMA-GLOW SIGNATURE



PA-16 — Pagoda
Perma-Glow — Clear
 Medium E-26 Brass Base

120 Volt 15 Watt Box
L4096



PA-16 — Pagoda
Perma-Glow — Inside Frost
 Medium E-26 Brass Base

120 Volt 15 Watt Box
L4097

Wattage	Voltage	Bulb Part #	Type	Finish	Base	Code Abbreviation	Lumens	Avg. Rated Hours	M.O.L.	Pack. Type	Master Carton/Inner Pack
15	120	L4094	PA-11	Clear	Cand (E-12)	15PA11/C	110	3,000	3"	Box (1)	100/10
	120	L4095	PA-11	Inside Frost	Cand (E-12)	15PA11/C/IF	110	3,000	3"	Box (1)	100/10
	120	L4096	PA-16	Clear	Med (E-26)	15PA16	120	3,000	3-13/16"	Box (1)	100/10
	120	L4097	PA-16	Inside Frost	Med (E-26)	15PA16/IF	120	3,000	3-13/16"	Box (1)	100/10



24

DEEP COLORS



**B-10 — 32mm Torpedo
Deep Colors — Emerald**
Luminescent Green
Candelabra E-12 Brass Base

130 Volt 15 Watt **L1885** ^{Box}



**B-10 — 32mm Torpedo
Deep Colors — Cobalt**
Luminescent Blue
Candelabra E-12 Brass Base

130 Volt 15 Watt **L1886** ^{Box}




**B-10 — 32mm Torpedo
Deep Colors — Topaz**
Luminescent Yellow
Candelabra E-12 Brass Base

130 Volt 15 Watt **L1887** ^{Box}



**B-10 — 32mm Torpedo
Deep Colors — Ruby**
Luminescent Red
Candelabra E-12 Brass Base

130 Volt 15 Watt **L1888** ^{Box}



**B-10 — 32mm Torpedo
Deep Colors — Amber**
Luminescent Amber
Candelabra E-12 Brass Base

130 Volt 15 Watt **L1889** ^{Box}



**B-10 — 32mm Torpedo
Deep Colors — Amethyst**
Luminescent Amethyst
Candelabra E-12 Brass Base

130 Volt 15 Watt **L1890** ^{Box}

Wattage	Voltage	Bulb Part #	Type	Finish	Base	Code Abbreviation	Avg. Rated Hours	M.O.L.	Pack. Type	Master Carton/Inner Pack
15	130	L1885	B-10	Translucent Frosted Green	Cand (E-12)	25B10/C/FG/3	1,500	3-11/16"	Box (1)	100/10
	130	L1886	B-10	Translucent Frosted Blue	Cand (E-12)	25B10/C/FB/3	1,500	3-11/16"	Box (1)	100/10
	130	L1887	B-10	Translucent Frosted Yellow	Cand (E-12)	25B10/C/FY/3	1,500	3-11/16"	Box (1)	100/10
	130	L1888	B-10	Translucent Frosted Red	Cand (E-12)	25B10/C/FR/3	1,500	3-11/16"	Box (1)	100/10
	130	L1889	B-10	Translucent Frosted Amber	Cand (E-12)	25B10/C/FA/3	1,500	3-11/16"	Box (1)	100/10
	130	L1890	B-10	Translucent Frosted Magenta	Cand (E-12)	25B10/C/FM/3	1,500	3-11/16"	Box (1)	100/10



G-16-1/2 — Globe
Deep Colors — Emerald
 Luminescent Green
 Candelabra E-12 Brass Base

130 Volt 15 Watt **L1895** ^{Box}



G-16-1/2 — Globe
Deep Colors — Cobalt
 Luminescent Blue
 Candelabra E-12 Brass Base

130 Volt 15 Watt **L1896** ^{Box}



G-16-1/2 — Globe
Deep Colors — Topaz
 Luminescent Yellow
 Candelabra E-12 Brass Base

130 Volt 15 Watt **L1897** ^{Box}



G-16-1/2 — Globe
Deep Colors — Ruby
 Luminescent Red
 Candelabra E-12 Brass Base

130 Volt 15 Watt **L1898** ^{Box}



G-16-1/2 — Globe
Deep Colors — Amber
 Luminescent Amber
 Candelabra E-12 Brass Base

130 Volt 15 Watt **L1899** ^{Box}



G-16-1/2 — Globe
Deep Colors — Amethyst
 Luminescent Magenta
 Candelabra E-12 Brass Base

130 Volt 15 Watt **L1900** ^{Box}

Wattage	Voltage	Bulb Part #	Type	Finish	Base	Code Abbreviation	Avg. Rated Hours	M.O.L.	Pack. Type	Master Carton/Inner Pack
15	130	L1895	G-16-1/2	Translucent Frosted Green	Cand (E-12)	15G16-1/2/C/FG/3	1,500	2-7/8"	Box (1)	100/25
	130	L1896	G-16-1/2	Translucent Frosted Blue	Cand (E-12)	15G16-1/2/C/FB/3	1,500	2-7/8"	Box (1)	100/25
	130	L1897	G-16-1/2	Translucent Frosted Yellow	Cand (E-12)	15G16-1/2/C/FY/3	1,500	2-7/8"	Box (1)	100/25
	130	L1898	G-16-1/2	Translucent Frosted Red	Cand (E-12)	15G16-1/2/C/FR/3	1,500	2-7/8"	Box (1)	100/25
	130	L1899	G-16-1/2	Translucent Frosted Amber	Cand (E-12)	15G16-1/2/C/FA/3	1,500	2-7/8"	Box (1)	100/25
	130	L1900	G-16-1/2	Translucent Frosted Magenta	Cand (E-12)	15G16-1/2/C/FM/3	1,500	2-7/8"	Box (1)	100/25



26

HALOGEN • R-12 • F-15

**MR-11 — Lensed**
GU-4 Base

Box		
12 Volt	8 Watt	L6323
	10 Watt	L6325
	20 Watt	L6327

MR-16 — Lensed
Silver Back
GU-5.3 Base

Box		
12 Volt	20 Watt	L6180 Flood
	20 Watt	L6181 Spot
	35 Watt	L6183 Spot
	35 Watt	L6185 Flood
	50 Watt	L6186 Spot
	50 Watt	L6187 Narrow Flood
	50 Watt	L6188 Flood

Wattage	Voltage	Bulb Part #	Type	ANSI Code	Beam Spread	Base	Code Abbreviation	Avg. Rated Hours	Pack. Type	Master Carton/Inner Pack
8	12	L6323	MR-11	-	30°	GU-4	Q8MR11/FL/L/12V	2,000	Box (1)	60/6
10	12	L6325	MR-11	-	10°	GU-4	Q10MR11/SP/L/12V	2,000	Box (1)	60/6
20	12	L6327	MR-11	FTB	30°	GU-4	Q20MR11/FL/L/12V	2,000	Box (1)	60/6
	12	L6180	MR-16	BAB	30°	GU-5.3	Q20MR16/FL/L/SBK/12V	4,000	Box (1)	60/6
	12	L6181	MR-16	ESX	10°	GU-5.3	Q20MR16/SP/L/SBK/12V	4,000	Box (1)	60/6
35	12	L6183	MR-16	FRA	20°	GU-5.3	Q35MR16/SP/L/SBK/12V	4,000	Box (1)	60/6
	12	L6185	MR-16	FMW	30°	GU-5.3	Q35MR16/FL/L/SBK/12V	4,000	Box (1)	60/6
50	12	L6186	MR-16	EXT	10°	GU-5.3	Q50MR16/SP/L/SBK/12V	4,000	Box (1)	60/6
	12	L6187	MR-16	EXZ	25°	GU-5.3	Q50MR16/NFL/L/SBK/12V	4,000	Box (1)	60/6
	12	L6188	MR-16	EXN	30°	GU-5.3	Q50MR16/FL/L/SBK/12V	4,000	Box (1)	60/6

JCT-3
Clear

G-4 Bi-Pin Base



Box		
12 Volt	5 Watt	L6203
	10 Watt	L6200
	20 Watt	L6205

**JCD T-4**
Frosted

G-9 Wedge Base



Box		
120 Volt	25 Watt	L6268
	40 Watt	L6270
	60 Watt	L6272

**R-12 — Reflector**
Spot

Intermediate E-17 Brass Base

Box		
120 Volt	15 Watts	L8341
	25 Watts	L8343
	40 Watts	L8345

**F-15 — Flame**
Frosted

Medium E-26 Brass Base

Box		
130 Volt	25 Watts	L4053
	40 Watts	L4054

Wattage	Voltage	Bulb Part #	Type	Finish	Base	Code Abbreviation	Lumens	Avg. Rated Hours	M.O.L.	Pack. Type	Master Carton/Inner Pack
5	12	L6203	JCT-3	Clear	G-4	Q5T3/12V	60	2,000	1-1/4"	Box (1)	100/10
10	12	L6200	JCT-3	Clear	G-4	Q10T3/12V	130	2,000	1-1/4"	Box (1)	100/10
15	120	L8341	R-12	Spot	Inter (E-17)	15R12/N/SP	80	2,000	2-17/32"	Box (1)	100/25
20	12	L6205	JCT-3	Clear	G-4	Q20T3/12V	283	2,000	1-1/4"	Box (1)	100/10
25	130	L4053	F-15	Frosted	Med (E-26)	25F15/F/3	175	1,500	4-5/16"	Box (1)	100/25
	120	L6268	JCD T-4	Frosted	G-9	Q25T4/120V/F	200	2,000	2"	Box (1)	100/10
	120	L8343	R-12	Spot	Inter (E-17)	25R12/N/SP	153	2,000	2-17/32"	Box (1)	100/2
40	130	L4054	F-15	Frosted	Med (E-26)	40F15/F/3	320	1,500	4-5/16"	Box (1)	100/25
	120	L6270	JCD T-4	Frosted	G-9	Q40T4/120V/F	470	2,000	2"	Box (1)	100/10
	120	L8345	R-12	Spot	Inter (E-17)	40R12/N/SP	275	2,000	2-17/32"	Box (1)	100/2
60	120	L6272	JCD T-4	Frosted	G-9	Q60T4/120V/F	800	2,000	2"	Box (1)	100/10

FAN LIGHT BULBS



A-15 — Fan Bulb Clear

Candelabra E-12 Nickel-Plated Brass Base

Box		
130 Volt	25 Watt	L2763
	40 Watt	L2764
	60 Watt	L2766



A-15 — Fan Bulb Inside Frost

Candelabra E-12 Nickel-Plated Brass Base

Box		
130 Volt	25 Watt	L2773
	40 Watt	L2774
	60 Watt	L2776



A-15 — Fan Bulb Soft White

Candelabra E-12 Nickel-Plated Brass Base

Box		
120 Volt	25 Watt	L2993
	40 Watt	L2994
	60 Watt	L2996



A-15 — Fan Bulb Clear

Intermediate E-17 Nickel-Plated Brass Base

Box		
130 Volt	25 Watt	L2703
	40 Watt	L2704
	60 Watt	L2706



A-15 — Fan Bulb Inside Frost

Intermediate E-17 Nickel-Plated Brass Base

Box		
130 Volt	25 Watt	L2713
	40 Watt	L2714
	60 Watt	L2716



R-16 — Fan Light Reflector Inside Frost

Candelabra E-12 Brass Base

Box		
130 Volt	25 Watt	L2783
	40 Watt	L2785

Wattage	Voltage	Bulb Part #	Type	Finish	Base	Code Abbreviation	Lumens	Avg. Rated Hours	M.O.L.	Pack. Type	Master Carton/Inner Pack
25	130	L2703	A-15	Clear	Inter (E-17)	25A15/N/3	190	1,500	3-3/8"	Box (1)	100/25
	130	L2713	A-15	Inside Frost	Inter (E-17)	25A15/N/IF3	190	1,500	3-3/8"	Box (1)	100/25
	130	L2763	A-15	Clear	Cand (E-12)	25A15/C/3	190	1,500	3-3/8"	Box (1)	100/25
	130	L2773	A-15	Inside Frost	Cand (E-12)	25A15/C/IF/3	190	1,500	3-3/8"	Box (1)	100/25
	120	L2783	R-16	Inside Frost	Cand (E-12)	25R16/C/IF	-	1,500	3-1/8"	Box (1)	100/25
	120	L2993	A-15	Inside White	Cand (E-12)	25A15/C/IW	190	1,500	3-3/8"	Box (1)	100/25
40	130	L2704	A-15	Clear	Inter (E-17)	40A15/N/3	400	1,500	3-3/8"	Box (1)	100/25
	130	L2714	A-15	Inside Frost	Inter (E-17)	40A15/N/IF3	400	1,500	3-3/8"	Box (1)	100/25
	130	L2764	A-15	Clear	Cand (E-12)	40A15/C/3	400	1,500	3-3/8"	Box (1)	100/25
	130	L2774	A-15	Inside Frost	Cand (E-12)	40A15/C/IF/3	400	1,500	3-3/8"	Box (1)	100/25
	120	L2994	A-15	Inside White	Cand (E-12)	40A15/C/IW	400	1,500	3-3/8"	Box (1)	100/25
	120	L2785	R-16	Inside Frost	Cand (E-12)	50R16/C/IF	-	1,500	3-1/8"	Box (1)	100/25
60	130	L2706	A-15	Clear	Inter (E-17)	60A15/N/3	700	1,500	3-3/8"	Box (1)	100/25
	130	L2716	A-15	Inside Frost	Inter (E-17)	60A15/N/IF3	700	1,500	3-3/8"	Box (1)	100/25
	130	L2766	A-15	Clear	Cand (E-12)	60A15/C/3	700	1,500	3-3/8"	Box (1)	100/25
	130	L2776	A-15	Inside Frost	Cand (E-12)	60A15/C/IF/3	700	1,500	3-3/8"	Box (1)	100/25
	120	L2996	A-15	Inside White	Cand (E-12)	60A15/C/IW	700	1,500	3-3/8"	Box (1)	100/25



28

3-WAY

**A-21 3-Way — Long Life
Soft White**

Medium E-26 Brass Base

Box		
120 Volt	30/70/100 Watt	L3130
	50/100/150 Watt	L3131
130 Volt	30/70/100 Watt	L3135
	50/100/150 Watt	L3171
	80/160/240 Watt	L3151

**A-21 3-Way — U.S. Made
Soft White**

Medium E-26 Aluminum Base

Box		
120 Volt	30/70/100 Watt	L3160
	50/100/150 Watt	L3161

**A-19 3-Way — Long Life
Soft White**

Medium E-26 Brass Base

Box		
120 Volt	30/70/100 Watt	L3132
130 Volt	30/70/100 Watt	L3152

**A-17 — California Title 20 A-Line
Soft White • BLB**

Medium E-26 Nickel-Plated Brass Base

Box		
120 Volt	38 Watt	L0404
	57 Watt	L0406
	71 Watt	L0407
	95 Watt	L0408

Wattage	Voltage	Bulb Part #	Type	Finish	Base	Code Abbreviation	Lumens	Avg. Rated Hours	M.O.L.	Pack. Type	Master Carton/Inner Pack
30	120	L3130	A-21	Soft White	Med (E-26)	30/100A21/SW	250	2,500	5-5/16"	Box (1)	60/12
70							650				
100							900				
30	120	L3132	A-19	Soft White	Med (E-26)	30/100A19/SW	280	2,000	5"	Box (1)	48/12
70							680				
100							960				
30	130	L3135	A-21	Soft White	Med (E-26)	30/100A21/SW/3	280	1,500	5-5/16"	Box (1)	60/12
70							680				
100							960				
30	130	L3152	A-19	Soft White	Med (E-26)	30/100A19/SW/3	280	2,000	5"	Box (1)	120/12
70							680				
100							960				
30	120	L3160	A-21	Soft White	Med (E-26)	30/100A21/SW	300	1,200	5-5/16"	Box (1)	60/12
70							945				
100							1,200				
38	120	L0404	A-17	Soft White	Med (E-26)	38A17/SW	410	2,250	3-11/16"	Box (4)	??/??
50	120	L3131	A-21	Soft White	Med (E-26)	50/150A21/SW	550	2,500	5-5/16"	Box (1)	60/12
100							950				
150							1,500				
50	120	L3161	A-21	Soft White	Med (E-26)	50/150A21/SW	640	1,200	5-5/16"	Box (1)	60/12
100							1,570				
150							2,210				
50	130	L3171	A-21	Soft White	Med (E-26)	50/150A21/SW/3	520	1,500	5-5/16"	Box (1)	60/12
100							1,200				
150							1,720				
57	120	L0406	A-17	Soft White	Med (E-26)	57A17/SW	740	1,500	3-11/16"	Box (4)	??/??
71	120	L0407	A-17	Soft White	Med (E-26)	71A17/SW	???	???	3-11/16"	Box (4)	??/??
80	130	L3151	A-17	Soft White	Med (E-26)	80/240A21/SW/3	950	1,500	5-5/16"	Box (1)	60/12
160							2,250				
240							3,200				



**PS-25
Inside Frost**
Mogul E-39 Aluminum Base

		<u>Box</u>
120 Volt	100/200/300 Watt	L6035



**PS-25
Soft White**
Mogul E-39 Aluminum Base

		<u>Box</u>
120 Volt	50/100/150 Watt	L6033
130 Volt	50/100/150 Watt 100/200/300 Watt	L6043 L6040

Wattage	Voltage	Bulb Part #	Type	Finish	Base	Code Abbreviation	Lumens	Avg. Rated Hours	M.O.L.	Pack. Type	Master Carton/Inner Pack
50	120	L6033	PS-25	Soft White	Mogul (E-39)	50/150PS25/SW	580	2,000	6-3/4"	Box (1)	12
100							1,250				
150							1,830				
50	130	L6043	PS-25	Soft White	Mogul (E-39)	50/150PS25/SW/3	450	1,500	6-3/4"	Box (1)	12
100							1,050				
150							1,500				
100	120	L6035	PS-25	Inside Frost	Mogul (E-39)	100/300PS25/IF	1,385	1,200	6-3/4"	Box (1)	12
200							3,540				
300							4,925				
100	130	L6040	PS-25	Soft White	Mogul (E-39)	100/300PS25/SW/3	1,200	1,500	6-3/4"	Box (1)	12
200							2,400				
300							3,600				



30

TRUE-LIGHT

**B-10 — 32mm Torpedo
True-Light — Clear**

Medium E-26 Nickel-Plated Brass Base

Box			
125 Volt	25 Watt	L4863	
	40 Watt	L4864	
	60 Watt	L4866	

**B-10 — 32mm Torpedo
True-Light — Inside Frost**

Medium E-26 Nickel-Plated Brass Base

Box			
125 Volt	25 Watt	L4873	
	40 Watt	L4874	
	60 Watt	L4876	

**T-10 — Tube
True-Light — Inside Frost**

Medium E-26 Nickel-Plated Brass Base

Box			
125 Volt	25 Watt	L4895	
	40 Watt	L4820	
	60 Watt	L4821	

**S-11 — High Intensity
True-Light — Inside Frost**

Intermediate Nickel-Plated Brass Base

Box			
125 Volt	40 Watt	L4840	

**B-10 — 32mm Torpedo
True-Light — Clear**

Candelabra E-12 Nickel-Plated Brass Base

Box			
125 Volt	25 Watt	L4842	
	40 Watt	L4843	
	60 Watt	L4846	

True-Light
WIDE SPECTRUM**B-10 — 32mm Torpedo
True-Light — Inside Frost**

Candelabra E-12 Nickel-Plated Brass Base

Box			
125 Volt	25 Watt	L4852	
	40 Watt	L4853	
	60 Watt	L4856	

Wattage	Voltage	Bulb Part #	Type	Finish	Base	Code Abbreviation	Lumens (at 120V) Avg.	Avg. Rated Hours (at 120V)	M.O.L.	Pack. Type	Master Carton/Inner Pack
25	125	L4842	B-10	Clear	Cand (E-12)	25B10/C/ND/5	156	3,500	3-1/2"	Box (1)	100/10
	125	L4852	B-10	Inside Frost	Cand (E-12)	25B10/C/ND/IF/5	156	3,500	3-1/2"	Box (1)	100/10
	125	L4863	B-10	Clear	Med (E-26)	25B10/ND/5	156	3,500	3-3/4"	Box (1)	100/10
	125	L4873	B-10	Inside Frost	Med (E-26)	25B10/ND/IF/5	156	3,500	3-3/4"	Box (1)	100/10
	125	L4895	T-10	Inside Frost	Med (E-26)	25T10/ND/IF/5	148	3,500	5-3/16"	Box (1)	100/10
40	125	L4820	T-10	Inside Frost	Med (E-26)	40T10/ND/IF/5	260	3,500	5-3/16"	Box (1)	100/10
	125	L4840	S-11	Inside Frost	Inter (E-17)	40S11/N/ND/IF/5	305	3,500	2-5/16"	Box (1)	100/10
	125	L4843	B-10	Clear	Cand (E-12)	40B10/C/ND/5	305	3,500	3-1/2"	Box (1)	100/10
	125	L4853	B-10	Inside Frost	Cand (E-12)	40B10/C/ND/IF/5	305	3,500	3-1/2"	Box (1)	100/10
	125	L4864	B-10	Clear	Med (E-26)	40B10/ND/5	305	3,500	3-3/4"	Box (1)	100/10
	125	L4874	B-10	Inside Frost	Med (E-26)	40B10/ND/IF/5	305	3,500	3-3/4"	Box (1)	100/10
60	125	L4821	T-16	Inside Frost	Med (E-26)	60T10/ND/IF/5	490	3,500	5-3/16"	Box (1)	100/10
	125	L4846	B-15	Clear	Cand (E-12)	60B10/C/ND/5	505	3,500	3-1/2"	Box (1)	100/10
	125	L4856	B-15	Inside Frost	Cand (E-12)	60B10/C/ND/IF/5	505	3,500	3-1/2"	Box (1)	100/10
	125	L4866	B-15	Clear	Med (E-26)	60B10/ND/5	505	3,500	3-3/4"	Box (1)	100/10
	125	L4876	B-15	Frost	Med (E-26)	60B10/ND/IF/5	505	3,500	3-3/4"	Box (1)	100/10



A-15
True-Light — Inside Frost
Medium E-26 Nickel-Plated Brass Base

Box		
125 Volt	25 Watt	L4883
	40 Watt	L4884
	60 Watt	L4886



A-19 — Household
True-Light — Inside Frost
Medium E-26 Nickel-Plated Brass Base

Box		
125 Volt	60 Watt	L4896
	75 Watt	L4897
	100 Watt	L4898



A-21 — Household
True-Light — Inside Frost
Medium E-26 Nickel-Plated Brass Base

Box		
125 Volt	150 Watt	L4899
	30/70/100 Watt	L4890
	50/100/150 Watt	L4891
	80/170/250 Watt	L4892

True-Light
WIDE SPECTRUM



G-16-1/2 — Globe
True-Light — Inside Frost
Candelabra E-12 Nickel-Plated Brass Base

Box		
125 Volt	25 Watt	L4867
	40 Watt	L4868
	60 Watt	L4869



G-25 — Globe
True-Light — Clear
Medium E-26 Nickel-Plated Brass Base

Box		
125 Volt	40 Watt	L4877
	60 Watt	L4878



G-25 — Globe
True-Light — Inside Frost
Medium E-26 Nickel-Plated Brass Base

Box		
125 Volt	40 Watt	L4887
	60 Watt	L4888

Wattage	Voltage	Bulb Part #	Type	Finish	Base	Code Abbreviation	Lumens (at 120V) Avg.	Avg. Rated Hours (at 120V)	M.O.L.	Pack. Type	Master Carton/Inner Pack
25	125	L4867	G-16-1/2	Inside Frost	CB (E-12)	25G16-1/2/C/ND/IF/5	155	3,500	3"	Box (1)	100/10
	125	L4883	A-15	Inside Frost	Med (E-26)	25A15/ND/IF/5	140	3,500	3-3/8"	Box (1)	60/6
30							200				
70	125	L4890	A-21	Inside Frost	Med (E-26)	30/100A21/ND/IF/5	610	3,500	5"	Box (1)	60/6
100							810				
40	125	L4868	G-16-1/2	Inside Frost	CB (E-12)	40G16-1/2/C/ND/IF/5	305	3,500	3"	Box (1)	100/10
		L4877	G-25	Clear	Med (E-26)	40G25/ND/5	305	3,500	4-7/16"	Box (1)	60/6
		L4884	A-15	Inside Frost	Med (E-26)	40A15/ND/IF/5	305	3,500	3-3/8"	Box (1)	60/6
		L4887	G-25	Inside Frost	Med (E-26)	40G25/ND/IF/5	305	3,500	4-7/16"	Box (1)	60/6
50							375				
100	125	L4891	A-21	Inside Frost	Med (E-26)	50/150A21/ND/IF/5	1,005	3,500	5"	Box (1)	60/6
150							1,380				
60	125	L4869	G-16-1/2	Inside Frost	CB (E-12)	60G16-1/2/C/ND/IF/5	505	3,500	3"	Box (1)	100/10
		L4878	G-25	Clear	Med (E-26)	60G25/ND/5	540	3,500	4-7/16"	Box (1)	60/6
	125	L4886	A-15	Inside Frost	Med (E-26)	60A15/ND/IF/5	520	3,500	3-3/8"	Box (1)	60/6
	125	L4888	G-25	Inside Frost	Med (E-26)	60G25/ND/IF/5	540	3,500	4-7/16"	Box (1)	60/6
	125	L4896	A-19	Inside Frost	Med (E-26)	60A/ND/IF/5	540	3,500	4-1/4"	Box (1)	60/6
75	125	L4897	A-19	Inside Frost	Med (E-26)	75A/ND/IF/5	680	3,500	4-1/4"	Box (1)	60/6
80							795				
170	125	L4892	A-21	Inside Frost	Med (E-26)	80/250A21/ND/IF/5	2,053	1,510	5"	Box (1)	60/6
250							2,848				
100	125	L4898	A-19	Inside Frost	Med (E-26)	100A/ND/IF/5	1,005	3,500	4-1/4"	Box (1)	60/6
150	125	L4899	A-21	Inside Frost	Med (E-26)	150A21/ND/IF/5	1,620	3,500	5"	Box (1)	60/6



32

TRUE-LIGHT

True-Light
WIDE SPECTRUM

R-20
True-Light — Flood
Medium E-26 Nickel-Plated Brass Base

Box
125 Volt 50 Watt **L4889**



R-30
True-Light — Flood
Medium E-26 Nickel-Plated Brass Base

Box
125 Volt 75 Watt **L4893**



R-40
True-Light — Flood
Medium E-26 Nickel-Plated Brass Base

Box
125 Volt 75 Watt **L4894**
120 Watt **L4839**

Wattage	Voltage	Bulb Part #	Type	Finish	Base	Code Abbreviation	(at 120V)	Lumens (at 120V)	Avg. Rated Hours M.O.L.	Pack. Type	Master Carton/Inner Pack
50	125	L4889	R-20	Flood	Med (E-26)	50R20/ND/FL/5	250	3,500	4"	Box (1)	60/6
75	125	L4893	R-30	Flood	Med (E-26)	75R30/ND/FL/5	505	3,500	5-1/8"	Box (1)	60/6
	125	L4894	R-40	Flood	Med (E-26)	75R40/ND/FL/5	545	3,500	6-1/2"	Box (1)	60/6
120	125	L4839	R-40	Flood	Med (E-26)	120R40/ND/FL/5	870	3,500	6-1/2"	Box (1)	60/6

BUG LIGHTS



33



B-10 — 32mm Torpedo Bug Light — Yellow

Candelabra E-12 Brass Base

Box			
130 Volt	25 Watt	L1893	
	40 Watt	L1894	

A-19 — Household Bug Light — Yellow

Medium E-26 Brass Base

Box			
130 Volt	25 Watt	L3093	
	40 Watt	L3094	
	60 Watt	L3096	

Wattage	Voltage	Bulb Part #	Type	Finish	Base	Code Abbreviation	Avg. Rated Hours	M.O.L.	Pack. Type	Master Carton/Inner Pack
25	130	L1893	B-10	Yellow	Cand (E-12)	25B10/C/YB/3	2,000	3-1/4"	Box (1)	100/25
	130	L3093	A-19	Yellow	Med (E-26)	25A19/YB/3	1,000	4-1/4"	Box (2)	60/6
40	130	L1894	B-10	Yellow	Cand (E-12)	40B10/C/YB/3	2,000	3-1/4"	Box (1)	100/25
	130	L3094	A-19	Yellow	Med (E-26)	40A19/YB/3	1,000	4-1/4"	Box (2)	60/6
60	130	L3096	A-19	Yellow	Med (E-26)	60A19/YB/3	1,000	4-1/4"	Box (2)	60/6

COMPACT FLUORESCENT



BR-30

Medium E-26 Base

6/Box			
120 Volt	15 Watt	L4527	

G-19 Showroom Vanity Bulb

Medium E-26 Base • 3,000°K

6/Box			
120 Volt	5 Watt	L8730	

Wattage	Bulb Part #	Type	Kelvin	Base	Code Abbreviation	Lumens	Avg. Rated Hours	M.O.L.	C.R.I.	Pack. Type	Master Carton/Inner Pack
5	L8730	CFL G-19	3000K	Med (E-26)	CF5G19	250	8,000	4"	82	Box (6)	120/6
15	L4527	CFL BR-30	3000K	Med (E-26)	CF15BR30	900	8,000	5-1/2"	82	Box (6)	24/6



34

ELECTRONIC FLUORESCENT




Tri
4-Pin GX24q-1 Base

2700k 13 Watt Box
L4929



Tri
4-Pin GX24q-2 Base

2700k 18 Watt Box
L4939



Tri
4-Pin GX24q-3 Base

2700k 26 Watt Box
L4949



Mini Spiral
4-Pin GX24q-1 Base

2700k 13 Watt Box
L4901



Mini Spiral
4-Pin GX24q-2 Base

2700k 18 Watt Box
L4906

Wattage	Bulb Part #	Type	Kelvin	Base	Code Abbreviation	Lumens	Avg. Rated Hours	M.O.L.	C.R.I.	Pack. Type	Master Carton/Inner Pack
13	L4901	CFL	2700K	GX24q-1	CFS13WWW/27	800	10,000	3-7/16"	82	Box (1)	50/10
	L4929	Tri	2700K	GX24q-1	CFS13/TTT/E/827	780	10,000	4-3/16"	82	Box (1)	50/10
18	L4906	CFL	2700K	GX24q-2	CFS18WWW/27	1,100	10,000	4"	81	Box (1)	50/10
	L4939	Tri	2700K	GX24q-2	CF18/TTT/E/827	1,080	10,000	5-9/16"	82	Box (1)	50/10
26	L4949	Tri	2700K	GX24q-3	CF26/TTT/E/827	1,560	10,000	5-1/4"	81	Box (1)	50/10

ELECTRONIC FLUORESCENT



35



"A" Shape Bulb
4-Pin G24q-2 Base

Box
3,000k 13 Watt **L4970**



"A" Shape Bulb
4-Pin G24q-2 Base

Box
3,000k 18 Watt **L4980**



Spiral
Bi-Pin GU24 Base

Box
2,700k 26 Watt **L4680**

Wattage	Bulb Part #	Type	Kelvin	Base	Code Abbreviation	Lumens	Avg. Rated Hours	M.O.L.	C.R.I.	Pack. Type	Master Carton/Inner Pack
13	L4970	"A" Shape	3000K	GX24q-2	CF13/G24q-2/30	780	10,000	4-5/8"	82	Box (6)	60/6
18	L4980	"A" Shape	3000K	GX24q-2	CF18/G24q-2/30	1,080	10,000	5-1/8"	82	Box (6)	60/6
26	L4680	GU24 Spiral	2700K	GU24	SP26/GU24/27	1,800	10,000	4-7/8"	84	Box (6)	48/6



ELECTRONIC FLUORESCENT



Par-30
Medium E-26 Base

3000K 15 Watts **L4565** Box



Par-38
Medium E-26 Base

3000K 23 Watts **L4567** Box



Mini Spiral
GU24 Base

2700K 13 Watts **L4670** Box



Mini Spiral
GU24 Base

2700K 18 Watts **L4675** Box



Mini Spiral
GU24 Base


2700K 13 Watts **L4672** Box



Mini Spiral
GU24 Base

2700K 18 Watts **L4677** Box

Wattage	Bulb Part #	Type	Kelvin	Base	Code Abbreviation	Lumens	Avg. Rated Hours	M.O.L.	C.R.I.	Pack. Type	Master Carton/Inner Pack
13	L4670	GU24 Spiral	2700K	GU24	13GU24/27	900	10,000	3-5/8"	80	Box (6)	60/6
	L4672	GU24 Spiral	2700K	GU24	13GU24/27	850	10,000	4-7/16"	80	Box (6)	60/6
15	L4565	Par 30 CFL	3000K	E26 (MB)	15E26830	675	10,000	4-7/32"	82	Box (1)	15/1
18	L4675	GU24 Spiral	2700K	GU24	18GU24/27	1,200	10,000	4-7/32"	80	Box (6)	60/6
	L4677	GU24 Spiral	2700K	GU24	18GU24/27	1,150	10,000	2-13/16"	80	Box (6)	60/6
23	L4567	Par 38 CFL	3000K	E26 (MB)	24E26830	1,035	10,000	4-1/2"	82	Box (1)	15/1



American-De Rosa Lamparts, LLC

1945 S Tubeway Ave, Commerce, CA 90040
Hours: 8:00 AM - 4:30 PM (Monday - Friday)
Customer Service: 7:00 AM - 5:00 PM (Monday - Friday)
Tel: 323.728.6300 • 800.777.4440
Fax: 323.728.0300 • 800.866.7672
www.AmericanDeRosa.com