



MR16 GU10 DIMMABLE LED

4W/6W LED DIMMABLE MR16 GU10 BASE - 35,000 HOURS

Nominal Wattage	Overdrive Model #	Description	Initial Lumen	Lm/watt	Beam Angle	CBCP	Average Rated Life(Hrs.)	Dia Inch	Length Inch	Case Qty	Item #
4W	L4MRGUDIM/FL/30K	4W MR16 LED GU10 Flood - 3000K	220	55	36°	480	35,000	1.96"	2.16"	24	540
4W	L4MRGUDIM/FL/50K	4W MR16 LED GU10 Flood - 5000K	240	60	36°	520	35,000	1.96"	2.16"	24	541
6W	L6MRGUDIM/FL/30K	6W MR16 LED GU10 Flood - 3000K	370	61	40°	700	35,000	1.96"	3.11"	24	542
6W	L6MRGUDIM/FL/50K	6W MR16 LED GU10 Flood - 5000K	400	66	40°	750	35,000	1.96"	3.11"	24	543

Advance COB LED Benefits:

Uses COB (Chip on Board) Advanced ceramic substrate LED provides:


- Excellent Color Consistency and maintenance.
- Higher Reflectivity due to use of ceramic substrate.
- Extra Safety due to use of Ceramic Substrate.
- Longer Life due to higher life of Ceramic Substrate.
- Intelligently and aesthetically designed
- No Shadowing effecting like Multiple LED Lamps
- Uniform Spread of light.




Dims down to 5%



Applications



RECESSED CANS



TRACK LIGHTING

Features

- Designed for long product life - electronics and LEDs
- Instantly bright and color stability over lifetime of product
- Environmentally friendly - mercury free & lead free
- Maintenance free for more than ten years (assuming 8 hours per day 365 days per year)
- Significantly reduces maintenance costs
- Intelligently and aesthetically designed
- Low energy consumption Save up to 90% in energy cost
- Direct replacement and easy to fit
- Unique optical design avoid shadow during illumination unlike multiple LED lamps
- Instant On Light

Notes

- Available in other color temperature also (upon request)
- Dimension with + 0.1 inch tolerance
- Lumen Maintenance (L70 > 35,000 hrs.)
- Specifications can be changed without prior notice, as LED is a dynamic & new evolving technology
- Check Dimmer Compatibility



www.overdrive-lighting.com
www.overdriveasia.com

