


# 10349 - F30T8/CW/4

GE T8 - Appliance • Passes TCLP, which can lower disposal costs.





# **CAUTIONS & WARNINGS**

#### Caution


- Lamp may shatter and cause injury if broken
- Wear safety glasses and gloves when handling lamp.
- Do not use excessive force when installing lamp.

#### Warning

- Risk of Electric Shock
- Turn power off before inspection, installation or removal.

# **GRAPHS & CHARTS**

# Graphs\_Lamp Mortality



# **GENERAL CHARACTERISTICS**

Lamp Type

Bulb Base Rated Life (NOM) Rated Life (instant start) @ Time Bulb Material Starting Temperature (MIN) Mercury Content (NOM) Picograms of Mercury (NOM) Additional Info Primary Application Linear Fluorescent - Straight Linear T8 Medium Bi-Pin (G13) 7500.0 h 7500 h @ 3 h

Soda lime 10.0 °C 18.0 mg 2051.3 pg TCLP compliant Appliance;Speciality

#### **PHOTOMETRIC CHARACTERISTICS**

Initial Lumens (NOM)1375.0Mean Lumens (NOM)1170.0Nominal Initial Lumens per Watt72.36842(NOM)Color Temperature (NOM)4100.0 KColor Rendering Index (CRI)60.0(NOM)K

# **ELECTRICAL CHARACTERISTICS**

Wattage (NOM)	19.0
Open Circuit Voltage	210 V @ 10 °C
(after preheating) Max @	
Temperature	
Open Circuit Voltage (rapid	108 V @ 10 °C
start) Min @ Temperature	
Cathode Resistance Ratio - Rh/	4.25
Rc (MIN)	
Cathode Resistance Ratio - Rh/	6.5
Rc (MAX)	
Rc (MAX) Open Circuit Voltage	108 V @ 10 °C
	108 V @ 10 °C
Open Circuit Voltage	108 V @ 10 °C
Open Circuit Voltage (after preheating) Min @	108 V @ 10 °C 4.25 V

# DIMENSIONS

Maximum Overall Length (MOL) (NOM)	30.000 in(762.0 mm)
Minimum Overall Length (NOM)	29.670 in(753.6 mm)
Nominal Length (NOM)	30.000 in(762.0 mm)
Bulb Diameter (DIA) (MIN)	0.940 in(23.9 mm)
Bulb Diameter (DIA) (MAX)	1.100 in(27.9 mm)
Bulb Diameter (DIA) (NOM)	1.000 in(25.4 mm)
Max Base Face to Base Face	29.220 in(742.2 mm)
(A) (NOM)	
Face to End of Opposing Pin	29.400 in(746.8 mm)
(B) (MIN)	
Face to End of Opposing Pin	29.500 in(749.3 mm)
(B) (MAX)	
End of Base Pin to End of	29.670 in(753.6 mm)
Opposite Pin End (C) (NOM)	

# **PRODUCT INFORMATION**

Product Code Description ANSI Code Standard Package Standard Package GTIN Standard Package Quantity Sales Unit No Of Items Per Sales Unit No Of Items Per Sales Unit No Of Items Per Standard Package UPC 10349 F30T8/CW/4 2014-1 Case 10043168103494 24 Unit 1 24

043168103497