

MSD Platinum

MSD Platinum 5 R 1CT



The new MSD Platinum 5 R lamps open up new levels of creative freedom in entertainment lighting, with powerful, compact and brilliantly intense light. Their compact, lightweight design provides the freedom to create smaller, lighter luminaires – for use at any location on stage. And their short arc, high color temperature and innovative reflector produce a sparkling, high beam intensity for outstanding color reproduction. They also offer long and reliable lifetime, high efficacy and fast replacement times. It all adds up to an intensely exciting creative experience.

Product data

• General Characteristics

System Description	Reflector-E20.6
Cap-Base	-
Cap-Base Information	-
Operating Position	any
Main Application	Studio/Disco
Life to 50% failures	2000 hr
EM	

• Light Technical Characteristics

Color Code	2
Chromaticity Coordinate X	300 -
Chromaticity Coordinate Y	300 -
Luminous Flux Lamp EM	7100 (min), 7950 (nom) Lm

• Electrical Characteristics

Watts	160 W
Lamp Wattage Technical	189 W

Dimmable No

• Luminaire Design Requirements

Pinch Temperature 350 (max) C

• Product Dimensions

Overall Length C	57.1 (max) mm
Diameter D	51.4 (max) mm
Height Exhaust Tip T	6.8 (max) mm

• Product Data

Product number	249888
Full product name	MSD Platinum 5 R 1CT
Short product name	MSD Platinum 5 R 1CT/8
Pieces per Sku	1
eop_pck_cfg	8
Skus/Case	8
Bar code on pack	8727900930702
Bar code on case	8727900930719
Logistics code(s)	928190805314
eop_net_weight_pp	0.120 kg


Dimensional drawing



PHILIPS

sense and simplicity



Dimensional drawing



MSD Platinum 5 R

Product	C (Max)	D (Max)	F (Min)	F (Norm)	F (Max)	L (Min)	L (Norm)	L (Max)	O (Norm)	O (Max)	T (Max)
MSD Platinum 5 R	57.1	51.4	-	-	-	-	-	-	-	-	6.8

Photometric data



© 2012 Koninklijke Philips Electronics N.V.
All rights reserved.

Specifications are subject to change without notice. Trademarks are the property of Koninklijke Philips Electronics N.V. or their respective owners.

www.philips.com/lighting

2012, April 13
data subject to change